

SECONDARY

SCIENCE OF ENERGY

This booklet includes hands-on experiments that secondary students use to teach themselves and others about forms of energy and energy transformations.



GRADE LEVEL
9–12

SUBJECT AREAS
Science
Math
Language Arts
Public Speaking



Teacher Advisory Board

Shelly Baumann, Rockford, MI
Constance Beatty, Kankakee, IL
Sara Brownell, Canyon Country, CA
Amy Constant, Raleigh, NC
Joanne Coons, Clifton Park, NY
Nina Corley, Galveston, TX
Regina Donour, Whitesburg, KY
Darren Fisher, Houston, TX
Deborah Fitton, Cape Light Compact, MA
Linda Fonner, New Martinsville, WV
Viola Henry, Thaxton, VA
Robert Hodash, Bakersfield, CA
Linda Hutton, Kitty Hawk, NC
Doug Keaton, Russell, KY
Michelle Lamb, Buffalo Grove, IL
Barbara Lazar, Albuquerque, NM
Robert Lazar, Albuquerque, NM
Mollie Mukhamedov, Port St. Lucie, FL
Don Pruett, Sumner, WA
Larry Richards, Eaton, IN
Joanne Spaziano, Cranston, RI
Gina Spencer, Virginia Beach, VA
Tom Spencer, Chesapeake, VA
Nancy Stanley, Pensacola, FL
Doris Tomas, Rosenberg, TX
Patricia Underwood, Anchorage, AK
Jim Wilkie, Long Beach CA
Carolyn Wuest, Pensacola, FL
Debby Yerkes, Ohio Energy Project, OH
Wayne Yonkelowitz, Fayetteville, WV

Teacher Advisory Board Vision Statement NEED Mission Statement

The mission of the NEED Project is to promote an energy conscious and educated society by creating effective networks of students, educators, business, government and community leaders to design and deliver objective, multi-sided energy education programs.

In support of NEED, the national Teacher Advisory Board (TAB) is dedicated to developing and promoting standards-based energy curriculum and training.

Permission to Reproduce

NEED materials may be reproduced for non-commercial educational purposes.



TABLE OF CONTENTS

Correlations to National Science Standards	4-5
Teacher Guide	6-7
Teacher Demonstration	8-10
Thermometer Transparency Master	11
Fahrenheit/Celsius Conversion Transparency Master .	12
Forms of Energy Transparency Master	13
Energy Transformations Transparency Master	14
Lab Safety Rules Transparency Master	15
Forms & Sources of Energy	16
Station One Guide	17-19
Station One Procedure	20
Station One Worksheet	21
Station Two Guide	22-26
Station Two Procedures	27-28
Station Two Worksheets	29-30
Station Three Guide	31-37
Station Three Procedure	38
Station Three Worksheet	39
Station Four Guide	40-42
Station Four Procedure	43
Station Four Worksheet	44
Station Five Guide	45-48
Station Five Procedure	49
Station Five Worksheet	50
Station Six Guide	51-54
Station Six Procedure	55
Station Six Worksheet	56
Science of Energy Exam	57-58
Evaluation Form	59



Correlations to National Science Standards

(Bolded standards are emphasized in the unit.)

UNIFYING CONCEPTS & PROCESSES

1. Systems, Order, and Organization

- The goal of this standard is to think and analyze in terms of systems, which will help students keep track of mass, energy, objects, organisms, and events referred to in the content standards.
- Science assumes that the behavior of the universe is not capricious, that nature is the same everywhere, and that it is understandable and predictable. Students can develop an understanding of order—or regularities—in systems, and by extension, the universe; then they can develop understanding of basic laws, theories, and models that explain the world.
- Prediction is the use of knowledge to identify and explain observations, or changes, in advance. The use of mathematics, especially probability, allows for greater or lesser certainty of prediction.
- Order—the behavior of units of matter, objects, organisms, or events in the universe—can be described statistically.

2. Evidence, Models, and Explanation

- Evidence consists of observations and data on which to base scientific explanations. Using evidence to understand interactions allows individuals to predict changes in natural and designed systems.

3. Change, Constancy, and Measurement

- Although most things are in the process of change, some properties of objects and processes are characterized by constancy; for example, the speed of light, the charge of an electron, and the total mass plus energy of the universe.**
- Energy can be transferred and matter can be changed. Nevertheless, when measured, the sum of energy and matter in systems, and by extension in the universe, remains the same.**
- Changes can occur in the properties of materials, position of objects, motion, and form and function of systems. Interactions within and among systems result in change. Changes in systems can be quantified and measured. Mathematics is essential for accurately measuring change.**
- Different systems of measurement are used for different purposes. An important part of measurement is knowing when to use which system.

INTERMEDIATE (GRADES 5-8) CONTENT STANDARD—A: SCIENCE AS INQUIRY

1. Abilities Necessary to do Scientific Inquiry

- Identify questions that can be answered through scientific inquiry
- Design and conduct a scientific investigation
- Use appropriate tools and techniques to gather, analyze, and interpret data
- Develop descriptions, explanations, predictions, and models using evidence
- Think critically and logically to make the relationships between evidence and explanations
- Recognize and analyze alternative explanations and predictions
- Communicate scientific procedures and explanations
- Use mathematics in all aspects of scientific inquiry

INTERMEDIATE STANDARD—B: PHYSICAL SCIENCE

2. Motions and Forces

- The motion of an object can be described by its position, direction of motion, and speed.**
- An object not subjected to a force will continue to move at a constant speed in a straight line.**
- Applying one or more forces to a moving object will cause changes in speed or direction of the object's motion.**

3. Transfer of Energy

- Energy is a property of many substances and is associated with heat, light, electricity, mechanical motion, sound, nuclei, and the nature of a chemical.**
- Energy is transferred in many ways.**
- Heat moves in predictable ways, flowing from warmer objects to cooler ones, until both reach the same temperature.**
- Light interacts with matter by transmission (including refraction), absorption, or scattering (including reflection).**
- Electrical circuits provide a means of transferring electrical energy.**
- In most chemical and nuclear reactions, energy is transferred into or out of a system. Heat, light, mechanical motion, or electricity might all be involved in such transfers.**
- The sun is the major source of energy for changes on the earth's surface. The sun loses energy by emitting light. A tiny fraction of that light reaches earth, transferring energy from the sun to the earth. The sun's energy arrives as light with a range of wavelengths.**

SECONDARY (GRADES 9-12) CONTENT STANDARD–A: SCIENCE AS INQUIRY

1. Abilities Necessary to do Scientific Inquiry

- a. Identify questions and concepts that guide scientific investigation.
- b. Design and conduct scientific investigations.
- c. Use technology and mathematics to improve investigations and communications.
- d. Formulate and revise scientific explanations and models using logic and evidence.
- e. Recognize and analyze alternative explanations and models.
- f. Communicate and defend a scientific argument.

SECONDARY STANDARD–B: PHYSICAL SCIENCE

3. Chemical Reactions

- a. **Chemical reactions occur all around us.**
- b. **Chemical reactions may release or consume energy. Some reactions, such as the burning of fossil fuels, release large amounts of energy by losing heat and by emitting light.**
- c. Light can initiate many chemical reactions such as photosynthesis and the evolution of urban smog.
- d. A large number of important reactions involve the transfer of electrons or hydrogen ions. In other reactions, chemical bonds are broken by heat or light to form very reactive radicals with electrons ready to form new bonds. Radical reactions control many processes such as the presence of ozone and greenhouse gases in the atmosphere, burning and processing of fossil fuels, the formation of polymers, and explosions.
- e. Catalysts accelerate chemical reactions.

4. Motions and Forces

- b. **Gravitation is a universal force that each mass exerts on any other mass.**
- c. **The electrical force is a universal force that exists between two charged objects.**
- d. **Most observable forces such as those exerted by a coiled spring or friction can be traced to electric forces acting between atoms and molecules.**
- e. **Electricity and magnetism are two aspects of a single electromagnetic force. Moving electric charges produce magnetic forces, and moving magnets produce electric forces.**

5. Conservation of Energy and the Increase in Disorder

- a. **The total energy of the universe is constant. Energy can be transferred by collisions in chemical and nuclear reactions, by light waves and other radiations, and in many other ways. However, it can never be destroyed. As these transfers occur, the matter involved becomes steadily less ordered.**
- b. **All energy can be considered to be either kinetic energy—the energy of motion; potential energy—which depends on relative position; or energy contained by a field, such as electromagnetic waves.**
- c. **Heat consists of random motion and the vibrations of atoms, molecules, and ions. The higher the temperature, the greater the atomic or molecular motion.**
- d. **Everything tends to become less organized and less orderly over time. Thus, in all energy transfers, the overall effect is that the energy is spread out uniformly. Examples are the transfer of energy from hotter to cooler objects by conduction, radiation, or convection and the warming of our surroundings when we burn fuels.**

6. Interactions of Energy and Matter

- a. Waves, including sound and seismic waves, waves on water, and light waves, have energy and can transfer energy when they interact with matter.
- d. In some materials, such as metal, electrons flow easily, whereas in insulating materials such as glass, they can hardly flow at all.

SECONDARY STANDARD–C: LIFE SCIENCE

1. The Cell

- a. Plants and many microorganisms use solar energy to combine molecules of carbon dioxide and water into complex, energy rich organic compounds and release oxygen to the environment. This photosynthesis provides a vital connection between the sun and the energy needs of living systems.

5. Matter, Energy, and Organization in Living Systems

- b. **The energy for life primarily derives from the sun. Plants capture energy by absorbing light and using it to form strong chemical bonds. The energy stored in the bonds (chemical energy) can be used as sources of energy for life processes.**
- c. **The chemical bonds of food molecules contain energy. Energy is released when the bonds are broken and new compounds with lower energy bonds are formed.**

Teacher Guide

BACKGROUND

The Science of Energy includes a teacher demonstration and six lab stations. The Secondary version for 9th-12th grade is designed to take five class sessions. Students are divided into six (or seven) groups, with each group responsible for learning and teaching the other groups the experiments in their assigned station. Instructions, guides, procedures, worksheets, and sample scripts are provided for teacher and students.

TIME

Five class periods of 45-60 minutes.

OBJECTIVES

Upon completion of the Science of Energy activity, students will be able to:

- Explain what energy enables us to do.
- Differentiate between forms and sources of energy.
- Understand how energy is stored in the major energy sources.
- Describe the main forms of energy and give examples.
- Explain energy transformations.
- Trace the energy flow of a system.

MATERIALS NEEDED

- Science of Energy Kit (*Thermometers in kit are safety thermometers containing alcohol, not mercury.*)
- Transparencies of Masters (pp 11-15)
- One copy of Forms & Sources (pg 16) and Worksheets (pp 21, 29-30, 39, 44, 50) for each student
- One copy of the Unit Exam (pp 57-58) for each student or group, depending on how you evaluate the students
- Two copies of the Station Guides for each station (pp 17-19, 22-26, 31-37, 40-42, 45-48, 51-54)
- One laminated copy of each Station Procedure and Diagram (pp 20, 25-26, 27-28, 35-37, 43, 48, 49, 53-54, 55)

MATERIALS NOT INCLUDED IN KIT

All Stations:	Safety Glasses		
Station One:	Cup of Hot Water	Meter Stick	
Station Two:	Vinegar	Scissors	Water
Station Three:	Tape	Overhead Projector or Flashlight	
Station Four:	Cups of Hot/Ice Water	Matches	14 - 12" pieces of Thin Metal Coat Hanger
Station Five:	Cups of Hot/Cold Water	Apple	

UNIT EXAM ANSWERS

1. b 2. b 3. d 4. a 5. b 6. b 7. d 8. d 9. d 10. b
11. An electromagnet is a device in which magnetism is produced by an electric current.
12. A wind turbine converts wind into electricity, as well as sound and heat.
13. A firecracker converts chemical energy into light, heat, sound, and motion.
14. Firefly: radiant energy - chemical energy - radiant energy - nuclear energy.
15. Electricity is an energy carrier that is convenient for us to use to perform many tasks.
- Energy Flow: 1. sun-nuclear 2. sun-radiant 3. plant-chemical 4. child-chemical 5. flashlight-motion
6. plug-electrical 7. battery-electrical 8. plug-electrical 9. light-radiant

INTRODUCTION

The Science of Energy activity is designed so that the teacher introduces the activity and gives several demonstrations on Day One. On Days Two through Four, students learn their stations and present them to the other students in teams rotating through the stations and completing worksheets. On Day Five, student groups work together to answer questions about the unit and complete their science journals. *It is recommended that the students keep science journals of the unit.*

PREPARATION

- Familiarize yourself with the kit and procure the materials listed in the Materials Not Included section.
- Duplicate copies and laminate as indicated in the Materials Needed section.
- Make transparencies as indicated in the Materials Needed section.
- Divide the class into six groups. If the class is very large, you can separate Station Two into two groups: Endothermic and Exothermic.
- Divide each group into two teams, designated A & B teams.
- Organize your classroom into six stations, with the stations requiring hot water near a source.
- For Station Three, place the glow toy without the label in the sun or a bright light for a day before beginning the unit.

VOCABULARY

Listed below are terms in the Science of Energy that students should understand when using the kit. You may want to spend a day going over these terms, or have the students look up the definitions as an assignment before beginning the unit.

Kinetic Energy	Endothermic	Magnetic Field	Energy Flow	Exothermic
Mass	Mechanical Energy	Catalyst	Fission	Chemical Energy
Electrical Energy	Fusion	Nonrenewable	Nuclear Energy	Photosynthesis
Electrode	Kilowatt	Photovoltaic	Electromagnet	Kilowatt-hour
Photovoltaic Cell	Potential Energy	Renewable	Thermal Energy	Radiant Energy

Please note: In this unit, the terms heat and thermal energy are used interchangeably, as they are in the national standards. Technically, thermal energy is defined as the amount of kinetic energy in a substance and heat is defined as the movement of thermal energy. Temperature is a measure of the average amount of thermal energy in a substance.

GRADING

The students' grades are based on how well their group performs rather than on individual scores. Group grades will be determined by five factors. The first four factors are worth 85 percent of the grade, and the last factor is worth 15 percent, as listed below:

- Their individual ability to develop hypotheses, record data, and form conclusions during the student presentations.
- Their ability to work as a team to learn the material and prepare their experiment.
- Their ability to teach students from other teams about their experiment.
- Their ability to handle equipment properly and safely.
- Their ability to answer questions on the unit exam.

EXTENSIONS

- Have students prepare data tables and graphs after the presentations.
- Have students design experiments with hypotheses and procedures to conduct the Further Explorations at the end of each procedure.
- Have students write reflections on each station in their science journals.

Teacher Demonstration

MATERIALS (*NOT PROVIDED IN KIT)

2 Sand Containers	2 Thermometers	Hand Generated Flashlight
* Transparencies	* Overhead Projector	* Safety Glasses

PREPARATION

- Familiarize yourself with the Teacher Demonstration materials, procedures, and script.
- Make sure you have one copy of the **Forms of Energy, Forms & Sources** activity and **Student Station Worksheets** for each student, two copies of the **Station Guides** for each station, and one copy of the **Unit Exam** for each group.
- Make sure you have one laminated copy of each **Station Procedure** and **Guide Diagram**.
- Make sure you have the transparencies.

PROCEDURE—DAY ONE: TEACHER DEMONSTRATION

- Use the **Thermometer** transparency to review how to read a thermometer using both Fahrenheit and Celsius scales. Use the **Fahrenheit/Celsius Conversion** transparency to review how to convert Fahrenheit to Celsius and vice versa.
- Record the temperatures of the two sand containers. Ask each student to shake the containers vigorously 10 times then pass it on to another student while you are giving the introduction. (*Two jars of water can also be used.*)
- Introduce the activity using the script below as a guide.
- Distribute the **Forms of Energy** sheets to the students. Explain the forms of energy, using the transparency and the script as a guide.
- When all the students have shaken the containers, have two students record the temperatures of the containers of sand again. Discuss the difference, using the script as a guide.
- Give a brief description of the ten major sources of energy and explain the terms renewable and nonrenewable. (*Use the Secondary Energy Infobooks as a reference.*)
- Place students in their groups and have them complete the **Forms and Sources** activity.

SAMPLE SCRIPT—DAY ONE: TEACHER DEMONSTRATION

Before we start talking about energy, let's begin an experiment. Here, I have two containers of sand. One is filled about a third of the way and the other is filled to the top. Let's record the temperature of the two containers in Fahrenheit and Celsius. [Have students record the temperatures on the board.] Since they have both been in the same environment, they should be the same temperature. Now, let's put the tops on tightly and begin shaking the containers. After ten shakes, pass them to other students. I would like everyone in the class to shake both containers ten shakes while I continue with the introductory demonstration.

PROCEDURE— DAY TWO: TEACHER DEMONSTRATION & STUDENT PREPARATION

- Explain energy transformations and energy flows with the hand generated flashlight and the **Energy Transformations** transparency, using the script as a guide. (*Then put the flashlight at Station Six.*)
- Explain the procedure for the next three days and place students in their groups.
- Discuss lab safety using the **Lab Safety Rules** transparency.
- Distribute a set of **Station Guides** and a laminated **Station Procedure** to each group and have the students spend a few minutes reading their experiment, then answer any questions and assign students to their stations to familiarize themselves with the equipment and the procedures for their station.

- Explain to the students that they must learn their experiments well, because they can only use the **Station Procedures** in their presentations, not the guides. The guides are just to help them learn the experiments and give them the information they need.
- Have the six stations set up around the room, with the equipment in place, except for the hot water.
- Caution the students to treat the equipment carefully and to not use their supplies carelessly. The supplies must last for two days of demonstrations.
- Provide hot water to the stations that require it and monitor the students carefully to make sure they follow safety guidelines as they investigate their experiments.

WHAT ENERGY HELPS US DO

What is energy? Energy helps us do many things; it is defined as the ability to do work. Energy makes things move. Can you give me some examples of moving objects and how energy moves them? (i.e., a car is moved by burning gasoline, a sailboat by the wind, a baseball by the energy in a person's arm and hand, a bullet by exploding gunpowder.) In addition to making things move, energy also helps us do other things. I want you to try to figure out four things energy helps us do. Write your ideas on a piece of paper. You have two minutes to come up with your answers. These are the five main things energy helps us do:

- | | |
|---------------------|--|
| 1. Make things move | 4. Make technology work (run electrical devices) |
| 2. Make heat | 5. Make things grow |
| 3. Make light | |

SAMPLE SCRIPT—FORMS OF ENERGY

The energy we use is stored in different forms. [Distribute the **Forms of Energy** sheets to each student and explain the forms of energy using the transparency.] Now, let's go back to those containers of sand. Let's check the container with a little sand in it first. [Record the temperature of the container of sand. You should see a two–five degree Celsius increase with the third-full one, less with the full one. The difference will be more apparent on the Fahrenheit scale since the increments are smaller on the Fahrenheit scale. A five-degree difference in Celsius should equal a nine-degree difference in Fahrenheit.]

What do you think caused the temperature change? Shaking the container is kinetic energy—the energy of motion. By shaking the container, we moved the grains of sand, causing them to collide with each other. They rubbed against each other, causing friction between the particles and producing heat. We transformed our motion into heat.

[Record the temperature of the full container of sand. You should see about a two degree Celsius increase.] Why is the increase in temperature greater for the container that was only one-third full? Because the partially filled container has more space in it, and the grains of sand collide with each other with more velocity. More velocity means more kinetic energy. In the container filled with sand, the grains have less space to move.

Another example of how motion can be transformed into heat is by striking a nail with a hammer. Have you ever felt the head of a nail or the head of a hammer after several strikes? They both feel warm. Some of the motion is transferred to thermal energy. Where do you think the rest of the energy has gone? The energy goes into sound, the motion of the nail pushing into the wood, and the heat of the nail and the wood.

SAMPLE SCRIPT—ENERGY FLOWS

Let's explore the energy flow from shaking this container of sand. Let's start with the thermal energy, or heat, we produced as a result of the motion our bodies provided. Where did our bodies get the energy to shake the bottle? From the food we ate. How is energy stored in food? It is stored as chemical energy in the bonds of the molecules. Chemical energy is stored in food through photosynthesis. Sunlight, or radiant energy, changes water and carbon dioxide into glucose and oxygen in plants. Glucose is a sugar with lots of energy—chemical energy. What type of energy produced the radiant energy from the sun?

The answer is nuclear energy. Inside the sun's core, atoms of hydrogen are fused together to form atoms of helium. The fusion occurs because of the large mass and pressure causing tremendous heat and gravitational forces inside the sun's core. The resulting atoms of helium have less mass than the original atoms of hydrogen. This remaining mass is changed into energy—radiant energy.

So, the increase in the temperature of the sand is the result of nuclear energy. In fact, almost all energy transformations can be traced back to nuclear energy, either fission, fusion, or radioactive decay. The energy stored in fossil fuels (coal, petroleum, natural gas, propane) is a result of sunlight from millions of years ago. Wind, hydropower, and biomass energy are also a result of the sun's radiant energy. Geothermal energy is a result of the radioactive decay of elements in the earth's core. The electricity produced in a nuclear power plant is a result of the splitting or fission of heavy uranium atoms into lighter atoms. When fission occurs, mass is changed into energy.

Now, let's figure out how energy is stored in the major energy sources we use in the United States. Look at the **Forms and Sources** sheet. Use your **Forms of Energy** sheet to determine how energy is stored in each of the sources of energy. Remember, if the source of energy must be burned, the energy is stored as chemical energy. Next, look at the chart and calculate the percentage of the nation's energy use that each form of energy provides. [You may wish to give a brief description of the five renewable and five nonrenewable sources at this time.] The answers are:

1. Chemical (petroleum, natural gas, coal, propane, biomass)	88%	Renewables:	7.4%
2. Nuclear (uranium)	8.5%	Nonrenewables:	92.6%
3. Motion (wind, hydropower)	3.0%		
4. Thermal (geothermal)	0.4%		
5. Radiant (solar)	0.10%		

SAMPLE SCRIPT—DAY TWO: TEACHER DEMONSTRATION—TRACING ENERGY FLOWS

Watch this demonstration. This flashlight works by converting motion into electrical energy. [Squeeze the handle of the flashlight several times.] Electricity is powering the light. Here's how. The handle is connected to a gear that spins a metal disk, which is a magnet. Above and below the disk are two thin coils of copper wire with two wires leading to a battery and LED light bulbs. The magnet spins inside the coils of wire, creating an electric current.

As I squeeze the handle, an electric current is generated that flows to the battery and begins to charge it. [Squeeze handle slowly a few times.] The light will stay on as long as the battery is charged. Now, watch as I squeeze the handle quickly. [Squeeze the handle quickly several times.] Notice how much brighter the light is. Why? The more motion energy I put into the system, the more energy is stored in the battery and the more energy there is to produce light. You will have an opportunity to examine this flashlight when you visit Station Six.

Now, starting with the light from this flashlight, I would like each of you to trace the energy transformations back to nuclear energy. [Use **Transformations** transparency to discuss the transformations.] As you can see, one form of energy can be transformed into other forms of energy quite easily. During the next three days, you will be performing experiments that demonstrate these energy transformations. I have divided you into six groups. Each group will be responsible for a different energy conversion station. Your group will be responsible for investigating how to conduct and present your energy conversion experiments. You will have the rest of this class period to look through your station's guide and practice your experiments and presentation.

Tomorrow, half of your group will present the experiments, while the other half tours the other five stations. On the following day, you will switch roles. The presenters will tour the other five stations while the other students present their stations' experiments to the touring students. Here are your **Station Guides** and **Station Procedures**. Please be careful not to break any of the equipment or needlessly use the supplies. Let's review lab safety rules. [Use **Lab Safety Rules** transparency.]

PROCEDURE—DAYS THREE AND FOUR

- Distribute one set of **Worksheets** to each student and explain that the students must complete the Hypothesis and Data sections as they rotate through the stations and the Conclusion and Conversion sections after they have completed the presentations.
- Students rotate through the stations at eight minute intervals: Group A on Day Three and Group B on Day Four.

PROCEDURE—DAY FIVE

- Have students complete their worksheets and science journals.
- Have students take the **Science of Energy Exam** either in their groups or individually. Discuss.

THERMOMETER

A thermometer measures temperature.

The temperature of a substance is the average amount of thermal energy in the substance.

Temperature can be measured using many different scales.

The scales we use most are:

CELSIUS

The Celsius (C) scale uses the freezing point of water as 0°C and the boiling point of water as 100°C .


FAHRENHEIT

The Fahrenheit (F) scale uses the freezing point of water as 32°F and the boiling point of water as 212°F .

Zero (0°F) on the Fahrenheit scale is the temperature of a mixture of equal weights of snow and salt.

In the United States, we usually use the Fahrenheit scale in our daily lives, and the Celsius scale for scientific work. People in most countries use the Celsius scale in their daily lives.

This thermometer is a long glass tube filled with colored alcohol. Alcohol is used in many thermometers because it expands in direct proportion to the increase in thermal energy.



FAHRENHEIT/CELSIUS CONVERSION

On the Fahrenheit scale, the freezing point of water is 32° and the boiling point of water is 212° - a range of 180° .

On the Celsius scale, the freezing point of water is 0° and the boiling point of water is 100° - a range of 100° .

To convert from Celsius to Fahrenheit, multiply the C number by $\frac{180}{100}$ or $\frac{9}{5}$, then add 32, as shown in the formula below.

$$F = \left(\frac{9}{5} \times C \right) + 32$$

$$\text{If } C = 5 \quad F = \left(\frac{9}{5} \times 5 \right) + 32 \quad F = 9 + 32 = 41$$

To convert from Fahrenheit to Celsius, subtract 32 from the F number, then multiply by $\frac{100}{180}$ or $\frac{5}{9}$ as shown in the formula below.

$$C = \frac{5}{9} \times (F - 32)$$

$$\text{If } F = 50 \quad C = \frac{5}{9} \times (50 - 32) \quad C = \frac{5}{9} \times 18 = 10$$

FORMS OF ENERGY

All forms of energy fall under two categories

POTENTIAL

Potential energy is stored energy and the energy of position (gravitational).

CHEMICAL ENERGY

Chemical energy is the energy stored in the bonds of atoms and molecules. Biomass, petroleum, natural gas, propane and coal are examples of stored chemical energy.

NUCLEAR ENERGY

Nuclear energy is the energy stored in the nucleus of an atom. It is the energy that holds the nucleus together. The nucleus of a uranium atom is an example of nuclear energy.

STORED MECHANICAL ENERGY

Stored mechanical energy is energy stored in objects or substances by the application of a force. Compressed metal springs and stretched rubber bands are examples of stored mechanical energy.

GRAVITATIONAL ENERGY

Gravitational energy is the energy of place or position. Water held in a reservoir behind a hydropower dam is an example of potential gravitational energy. When the water in the reservoir is released to spin the turbines, it becomes motion energy.

KINETIC

Kinetic energy is motion. It is the motion of waves, electrons, atoms, molecules and substances.

RADIANT ENERGY

Radiant energy is electromagnetic energy that travels in transverse waves. Radiant energy includes visible light, x-rays, gamma rays and radio waves. Solar energy is an example of radiant energy.

THERMAL ENERGY

Thermal energy (or heat) is the internal energy in substances. It is the vibration and movement of atoms and molecules within substances. Geothermal energy is an example of thermal energy.

MECHANICAL

The movement of objects or substances from one place to another is motion. Wind is an example of motion energy.

SOUND


Sound is the movement of energy through objects or substances in longitudinal (compression/rarefaction) waves.

ELECTRICAL ENERGY

Electrical energy is the movement of electrons. Lightning and electricity are examples of electrical energy.

ENERGY TRANSFORMATIONS

Hand Generated Flashlight



Lab Safety Rules

EYE SAFETY

- Always wear safety glasses when performing experiments.

FIRE SAFETY

- Do not heat any substance or piece of equipment unless specifically instructed to do so.
- Be careful of loose clothing. Do not reach across or over a flame.
- Always keep long hair pulled back and secured.
- Do not heat any substance in a closed container.
- Always use the tongs or protective gloves when handling hot objects. Do not touch hot objects with your hands.
- Keep all lab equipment, chemicals, papers, and personal effects away from the flame.
- Extinguish the flame as soon as you are finished with the experiment and move it away from the immediate work area.

HEAT SAFETY

- Always use tongs or protective gloves when handling hot objects and substances.
- Keep hot objects away from the edge of the lab table—in a place where no one will accidentally come into contact with them.
- Do not use the steam generator without the assistance of your teacher.
- Remember that many objects will remain hot for a long time after the heat source is removed or turned off.

GLASS SAFETY

- Never use a piece of glass equipment that appears cracked or broken.
- Handle glass equipment carefully. If a piece of glassware breaks, do not attempt to clean it up yourself. Inform your teacher.
- Glass equipment can become very hot. Use tongs if glass has been heated.
- Clean glass equipment carefully before packing it away.

CHEMICAL SAFETY

- Do not smell, touch, or taste chemicals unless instructed to do so.
- Keep chemical containers closed except when using them.
- Do not mix chemicals without specific instructions.
- Do not shake or heat chemicals without specific instructions.
- Dispose of used chemicals as instructed. Do not pour chemicals back into containers without specific instructions to do so from your teacher.
- Do not pour a chemical down the laboratory drain unless instructed to do so.
- If a chemical accidentally touches your skin, immediately wash the area with water and inform your teacher.

ALLERGIES

Latex balloons are included in Station One. If you are allergic to latex do not handle these materials.

MSDS Safety Sheets are included for all chemicals in the kits as well as the products of all chemical reactions.

Lightstick Safety: The solutions contained in the lightsticks are non-toxic and will not cause injury to the skin or eyes. Eye contact may cause temporary discomfort similar to that produced by soaps or shampoos. Should a lightstick rupture, rinse the affected area thoroughly with water, then repeat the process. The solutions can soften or mar paint and varnish, and can stain fabric. If you have any concerns about possible allergic reactions or sensitivities, please speak with Omniglow's medical emergency contact at 1-800-228-5635, ext 162.

Forms & Sources of Energy

The energy we use in the United States is mainly provided by the following sources of energy. Write the form of energy—how the energy is stored or delivered—for each of the sources on the line to the right of the source.

RENEWABLE

NONRENEWABLE

Biomass _____

Petroleum _____

Hydropower _____

Natural Gas _____

Geothermal _____

Coal _____

Wind _____

Uranium _____

Solar _____

Propane _____

What percentage of the nation's energy is provided by each form of energy? By renewables? Nonrenewables?

Chemical _____

Renewables _____


Nuclear _____

Nonrenewables _____

Motion _____

Thermal _____

Radiant _____



Station One Guide: Motion

KINETIC ENERGY: THE ENERGY OF MOTION
POTENTIAL ENERGY: ENERGY OF POSITION & STORED ENERGY

MATERIALS (* NOT INCLUDED IN KIT)

1 Set of Happy/Sad Spheres	Tongs
1 Yo-yo	* 1 Meter Stick
1 Toy Car	* 1 Cup of Hot Water (not boiling)
10 Balloons	* Table with hard, flat surface
1 Superball	* Safety Glasses

PREPARATION—PART ONE: COLLISIONS

Part One Materials: Happy/sad spheres, hot water, meter stick, tongs, table with a hard, flat surface, safety glasses

- Put on your safety glasses and examine the equipment. The happy sphere is the hard, bouncy sphere. The sad sphere is the softer one.
- Get hot water from your teacher. **The water should be very hot, but not boiling.** Be careful! The water could easily burn you or someone else. The sphere must remain in the hot water for one minute. Use the spoon or tongs to place the sad sphere in the hot water and to take it out of the hot water.
- Study the sample script to learn the experiment. Practice your presentation.

PROCEDURE—PART ONE: COLLISIONS

- Have the students examine the spheres while you explain motion as energy.
- Drop the spheres from a height of 1 meter onto the table while you explain collisions and kinetic and potential energy.
- Use the meter stick to measure the rebound of the spheres; explain how the potential energy is changed into motion, heat, and sound.
- Transfer energy to the sad sphere by placing it into the hot water, using the tongs. After one minute, remove the sphere with the tongs and drop it again, measuring the rebound. Explain that the sphere bounces higher when it is hot because it contains more heat energy and can't absorb as much heat energy when it is dropped.
- Drop the sad sphere several times as it cools; measure the decreasing rebound as it loses energy.

SAMPLE SCRIPT—PART ONE: COLLISIONS

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

When an object is moving, it has kinetic energy. When an object is still, but is in a position so that gravity can move it, it has potential energy. A rock at the top of a hill has potential energy. As it rolls down the hill, the potential energy turns into kinetic energy - the energy of motion.

Today, I'm going to talk about collisions. A collision occurs when a moving object hits another object. [Move the superball around the table, first slowly, then quickly. Stop it with your other hand.] When I push this sphere, my hand gives it kinetic energy. The faster it goes, the more kinetic energy it has. When the sphere runs into my other hand, there is a collision. If it stops completely, it loses all its kinetic energy. The energy can't just disappear. Where does it go? The kinetic energy is converted into other kinds of energy—like sound and heat. Usually, when there is a collision, an object doesn't stop completely, it bounces. This means it hasn't lost all of its kinetic energy. Take a moment now to examine these two spheres without dropping them. Which will bounce the highest? How high do you think they will bounce? *Record what you think will happen - your hypothesis - on your worksheet now.*

When I hold this sphere above the table [hold sad sphere one meter above table], I'm giving it energy. If I drop the sphere, we know it will fall because of the force of gravity. This energy of position is its potential energy.

Let's see how high the sphere will bounce when I drop it. [Drop the sad sphere from one meter. Have a member of the audience measure how high it bounces, it should hardly bounce at all.]

This sphere isn't broken, it's a sad sphere. It loses almost all of its kinetic energy when it collides with the table. Now listen! [Drop the sphere again.] More of its kinetic energy changes into sound. Some of its energy changes into heat too. Feel the sphere. [Let everyone squeeze the sad sphere.] The sad sphere's molecules are loosely arranged inside like a tangled sphere of strings. At room temperature, they move and rub together when there is a collision. The kinetic energy turns into heat as the molecules rub each other as a result of friction.

I'm going to put this sphere into hot water. [Using the tongs, carefully place the sad sphere into the cup of hot water.]

Here I have another sphere that looks the same as the first one, but what happens when I drop it? [Drop the happy sphere several times from a height of one meter. Have a member of the audience measure how high it bounces. It should bounce back about 60-70 cm.] This sphere bounced back about [65] centimeters. That means it kept about [65] percent of its kinetic energy. Where did the rest of the energy go? Part of the energy was changed into sound, listen! [Drop the sphere again.] Part of the energy was also changed into heat, or thermal energy. The sphere and the table are both getting hotter every time I drop the sphere, though you can't really feel the difference.

This sphere is made of a special kind of rubber. (The happy sphere is neoprene rubber and the sad sphere is polynorbornene rubber.) Feel this sphere. [Let everyone squeeze the happy sphere.] The happy sphere's molecules are more tightly arranged and do not move as easily during a collision, so more of its kinetic energy is returned as kinetic energy in its bounce.

In a second I'm going to take the sad sphere out of the hot water. The sphere has absorbed heat energy from the hot water. Record your hypothesis, what do you think will happen when I drop the sphere? What difference, if any, do you think that will make? [Carefully remove the sphere with the tongs. Do not hold it in your hand. Drop the sphere from one meter using tongs. It should bounce about 30 centimeters.]

Look at that! The sphere bounces higher. The sad sphere has absorbed heat from the water; its molecules have expanded. When the sphere collides with the table, the molecules inside the sphere can't move around as easily as when they are cooler. The sad sphere is able to retain more of its kinetic energy and bounce higher. Less energy is turned into sound and heat in the collision. [The sphere will be cool enough to pick up now using your hands. Drop the sphere several more times.] As the sphere cools down, the molecules inside return to their more flexible state and more of the energy is changed into heat when it hits the table. The cooler it gets, the less it bounces.

These experiments show us how potential energy is changed into motion and how motion is changed into sound and heat.

PREPARATION—PART TWO: STORED MECHANICAL ENERGY

Materials: Toy car, balloons, yo-yo, safety glasses

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment. Practice your presentation.

NOTE: THIS DEMONSTRATION USES LATEX BALLOONS. IF YOU ARE ALLERGIC TO LATEX YOU SHOULD NOT HANDLE THE BALLOONS.

PROCEDURE—PART TWO: STORED MECHANICAL ENERGY

- Demonstrate storing energy in the toy car while explaining how the energy is stored in the spring and how the potential energy turns into motion, heat, and sound.
- Demonstrate storing energy in a balloon while explaining how the energy is stored in the compressed air and stretched rubber, and how the potential energy turns into motion, heat, and sound.
- Demonstrate storing energy in a yo-yo while explaining how energy is stored in a spinning object and how the potential energy turns into motion and heat.



SAMPLE SCRIPT—PART TWO: STORED MECHANICAL ENERGY

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Toy Car: As I demonstrated with the spheres, holding an object in the air gives it potential energy. This isn't the only way you can store potential energy, though. Watch this. [Push down on the car and hold it down.] This car has a spring in it. When I push down on the car, I'm storing my energy in the spring. [Let go of car.] When I let go of the car, the car starts to move. The stored mechanical energy in the spring changes to motion. Why does the car stop after a while? The car stops because of friction. Friction changes some of the motion into heat.



Balloon: Can anyone tell me how to store energy in this balloon? [Hold up balloon and get answers from audience.] If I blow up this balloon, I'm using my kinetic energy to stretch the rubber, just like I used my energy to compress the spring in the car. [Blow up balloon.]

That energy is stored in stretched rubber and compressed air instead of a compressed spring. Where will the energy go if I let go of this balloon? [Get answers from audience. Point the balloon away from the audience then let go of the balloon.] The stored mechanical energy is converted into motion, heat, and sound.

Yo-yo: If I let go of this yo-yo, how far back up the string do you think it will come? *Record your hypothesis on your worksheet.* [Let go of the yo-yo. If the yo-yo sleeps, twist the yo-yo to tighten the string around the center spool. The yo-yo should come about 60 percent of the way back up the string.] The yo-yo only came about [60] percent of the way. Why didn't it come back to my hand? Friction between the string and the yo-yo changed some of the motion energy into heat energy.

Can anybody tell me where the energy is stored that makes the yo-yo come back up after I let it go? [Get answers from audience.] The energy is stored in the yo-yo. Potential energy can be stored in many spinning objects, which sometimes are called flywheels.

These demonstrations have explored potential and kinetic energy and motion and how we can store mechanical energy and change it into other forms of energy. Do you have any questions?

STATION ONE PROCEDURE

POTENTIAL ENERGY:	ENERGY OF POSITION OR PLACE & STORED MECHANICAL ENERGY
KINETIC ENERGY:	MOVEMENT OF ATOMS, MOLECULES, SUBSTANCES, & OBJECTS
MOTION:	MOVEMENT OF SUBSTANCES & OBJECTS FROM ONE PLACE TO ANOTHER

PROCEDURE—PART ONE: COLLISIONS

After explaining each procedure, allow students time to record their hypotheses.

- Put on safety glasses.
- Have the students examine the spheres while you explain motion as energy.
- Drop the spheres from a height of 1 meter while you explain collisions, kinetic energy, and potential energy.
- Use the meter stick to measure the rebound of the spheres. Explain how the potential energy is changed into motion, heat, and sound.
- Give the sad sphere energy by placing it into the hot water, using the tongs. After one minute, remove the sphere with the tongs and drop it again, measuring the rebound. Explain why the sphere bounces higher when it is hot; it contains more thermal energy and can't absorb as much energy when it is dropped.
- Drop the sad sphere several times as it cools, measuring the decreasing rebound as it loses energy.

PROCEDURE—PART TWO: STORED MECHANICAL ENERGY

After explaining each procedure, allow students time to record their hypotheses.

- Put on safety glasses.
- Demonstrate storing energy in the toy car while explaining how the energy is stored in the spring and how the potential energy turns into motion, heat, and sound.
- Demonstrate storing energy in a balloon, while explaining how the energy is stored in the compressed air and stretched rubber, as well as how the potential energy turns into motion, heat, and sound.
- Demonstrate storing energy in a yo-yo while explaining how energy is stored in a spinning object and how the potential energy turns into motion and heat.

FURTHER EXPLORATIONS

- Test a variety of different spheres, such as a hollow ball (ping pong ball), marble, golf ball, baseball.
- Test the spheres on a variety of surfaces, such as carpeting, glass table, metal table.
- Test the spheres changing the temperature of the collision surface.
- Test the happy/sad spheres after freezing them overnight.
- Test the distance the happy/sad spheres travel on an inclined surface. Vary the temperature of the spheres to determine if temperature makes a difference.
- Test to determine if placing the spheres in bright light makes a difference.

STATION ONE WORKSHEET

PURPOSES: To explore potential and kinetic energy during collisions.
To explore stored mechanical energy in toys.

QUESTIONS: Which sphere will bounce the highest?
How high will each sphere bounce?
What affect will heating the sphere have on a sphere's bounce?
How can we store energy in toys?

HYPOTHESES:

PROCEDURE: Examine the two spheres.
Drop the spheres from a height of 1 m and measure how high they bounce.
Add thermal energy to a sphere and measure how high it bounces.
Observe how energy is stored in toy cars, balloons, and yo-yos.

DATA:

CONCLUSIONS:

CONVERSION: A sphere dropped from a height of one meter converts _____ energy into _____, _____ and _____ as it collides with a table.

Station Two Guide: Chemical & Thermal Energy

EXOTHERMIC REACTIONS: REACTIONS THAT PRODUCE HEAT
ENDOTHERMIC REACTIONS: REACTIONS THAT REQUIRE HEAT

MATERIALS (* NOT INCLUDED IN KIT)

ENDOTHERMIC	EXOTHERMIC	BOTH
* 1 Bottle of Vinegar	8 Handwarmers	Safety Glasses
1 Container of Baking Soda	1 Sealed Bag of Iron Oxide	
4 Empty Plastic Bags	1 Container of Calcium Chloride	
1 Thermometer	2 Empty Plastic Bags	
1 Measuring Cup	* Scissors	
2 Display Sheets	* Water	

PREPARATION—PART ONE: ENDOTHERMIC REACTIONS

Materials: Vinegar, baking soda, bags, thermometer, measuring cup, display sheet, safety glasses

- Put on safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Practice your presentation.

PROCEDURE—PART ONE: ENDOTHERMIC REACTIONS

- Explain that you are going to mix two substances together to make a third substance. This is an endothermic reaction - it requires heat energy to make the third substance, converting heat into stored chemical energy. Use Display Sheet to explain the reaction.
- Pour 10 ml (milliliters) of vinegar into an empty plastic bag and have the students feel the vinegar to note the temperature.
- Place the thermometer in the bag. Make sure the bulb of the thermometer is in the solution. Record the temperature of the vinegar. Leave the thermometer in the bag.
- Carefully pour 10 cm³ (cubic centimeters) of baking soda into the bag. Be careful - the chemical reaction will foam to the top of the bag.
- Wait 30 seconds and record the temperature again.
- Remove the thermometer from the bag and carefully zip it.
- Have the students feel the bag again.

Note:
Milliliters is a
liquid measurement
and cubic centimeters is
a dry measurement unit.

SAMPLE SCRIPT—PART ONE: ENDOTHERMIC REACTIONS

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

At this station, you'll be learning about stored chemical energy and chemical reactions. Chemical reactions occur when you mix two chemicals together to form another chemical. All chemical reactions involve heat. Some give off heat and some use heat. An exothermic reaction gives off heat. *Exo* means *out* and *thermal* means *heat*. Exothermic - the heat goes out. An endothermic reaction uses heat. *Endo* means *in* and *thermal* means *heat*. So, endothermic - the heat goes in. Today, you'll be seeing both kinds of reactions. And, since the easiest way to measure heat is by its temperature, we'll use a thermometer to show the changes in heat.

This first experiment is an endothermic reaction - it uses heat. I'm going to mix vinegar and baking soda together to make other chemicals (water, carbon dioxide, and sodium acetate). *Record your hypothesis--what you think will happen--on your worksheet.*

First, I'll add the vinegar and measure the temperature of it. [Pour 10 ml of vinegar into an empty plastic bag. Hold the bag at the top and tilt it so that all the vinegar is in one corner. Make sure the bulb of the thermometer is in the solution. Record the temperature of the vinegar in Celsius and Fahrenheit scales. Let everyone touch the bag.] *Record the data on your worksheets.*

Everyone touch the bag so you'll know what the temperature feels like. Now I'm going to add the baking soda. You'll be able to see a reaction taking place. [Leave the thermometer in the bag. Pour in 10 cm³ of baking soda. Be careful—the reaction will foam very high.] Now, watch the temperature on the thermometer. [The temperature should drop four to five degrees Celsius in 30 seconds. Let everyone touch the bag again.] The temperature is now [XX] degrees Celsius. *Record this data.* Now touch the bag and tell me how it feels. Can you feel the difference in temperature?

It feels colder because the reaction we just saw uses heat energy. It's an endothermic reaction. The heat is now stored in the bonds of the new chemical that was formed. The reaction took heat from the mixture and transformed it into stored chemical energy. [Take the thermometer out of the bag. Zip up the bag and put it aside with the vinegar and baking soda solution.]

[Show Display Sheet.] The top equation shows the reaction of vinegar and baking soda. The reaction takes the thermal energy it needs from the surrounding environment, which is why the bag feels colder.

PREPARATION—PART TWO: EXOTHERMIC REACTIONS

Materials: Sealed bag of iron oxide, handwarmers, container of calcium chloride, plastic bags, scissors, water, thermometer, display sheet, safety glasses

- Put on your safety glasses and examine the equipment.
- Study the sample script to learn the experiment.
- Practice your presentation.
- The sealed bag of iron oxide contains old filings from the handwarmers. This is called the *old packet*. A few minutes before your first presentation, cut open a new packet and pour it into an empty plastic bag. Keep the bag open and shake the bag for a couple of minutes so that oxygen and water in the air can react with the iron. This is called the *new packet*.

PROCEDURE—PART TWO: EXOTHERMIC REACTIONS

Handwarmers

- Explain that you are going to let oxygen and water in the air come into contact with pieces of iron to produce a third chemical, iron oxide. The reaction is exothermic—it produces heat. Most reactions are exothermic. Use the Display Sheet to explain the reaction.
- Show students the package that held the iron filings.
- Let students feel the new packet to note the temperature.
- Seal the new packet to prevent oxygen and water from entering the bag.
- Let students feel the old packet and note the temperature.
- After performing the second part of the demonstration—driveway ice—let students feel the new packet that you sealed noting the temperature drop after the bag was sealed and no oxygen could enter to keep the reaction going.

Driveway Ice

- Explain that calcium chloride is used to melt ice on sidewalks and driveways. When calcium chloride comes into contact with water, a chemical reaction takes place that produces heat. [Use the Display Sheet to explain the reaction.]
- Pour 10 ml of water into a plastic bag. Record the temperature using the thermometer.
- Pour 4 cm³ of calcium chloride into water.
- Record the temperature.
- Seal the bag and put it aside.

SAMPLE SCRIPT—PART TWO: EXOTHERMIC REACTIONS

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Most reactions don't absorb heat like vinegar and baking soda. Most chemical reactions give off heat—they're exothermic. Let's watch a reaction that produces heat.

A few minutes ago I opened this handwarmer. It is filled with iron filings. [Show audience the package the hand warmer came in.] Why do you think it was sealed in plastic? [Get answers from audience.] The plastic keeps oxygen and water in the air from reaching the iron. I put the iron filings into this plastic bag and left it open so that oxygen and water could get to it. [Hold up new packet.] The oxygen in the air is reacting with the iron to form a new chemical, iron oxide, or rust. The water is a catalyst. *Record your hypothesis - what you think will happen - before I go on.*

Feel this packet. [Let everyone feel the new packet. It should feel warm.] It feels warm. When oxygen comes into contact with iron in the presence of water, the chemical reaction produces rust and heat. You can see that most of the iron filings are still black. [Show Display Sheet.] They will slowly turn to rust as long as we let oxygen reach them in the presence of water. Now, I'm going to seal the bag. No oxygen will be able to get to the iron filings. The reaction should slow down and eventually stop. At the end of the presentation, we'll feel the bag again to see if the temperature has changed.

Here is a packet of filings that has been open for several weeks. [Hold up old packet. Let everyone observe and feel it.] As you can see, all the iron has turned to rust. No more heat is being produced. Why do you think the handwarmer has a lot of iron filings instead of one chunk of iron? [Get answers from audience.] Because more iron can come into contact with oxygen when it is in small pieces.

Let me demonstrate another reaction. This container contains calcium chloride—it is a common chemical used to melt ice on sidewalks and driveways. When calcium chloride comes into contact with ice or water, it dissolves and the calcium chloride molecules dissociate into calcium and chloride ions. Some of the water molecules dissociate into hydrogen and hydroxide ions. The calcium ions bond with hydroxide ions to form calcium hydroxide, or lime. The hydrogen ions bond with chloride ions to form hydrochloric acid. The hydrochloric acid solution is very weak. [Use the Display Sheet to explain the reaction.] *Record your hypothesis—what you think will happen when I mix the calcium chloride with water.*


Let's put 10 ml of water into this plastic bag and record the temperature on your worksheet. Now, let's put 4 cm³ of calcium chloride in the water. Since this is an exothermic reaction, will the temperature of the water increase or decrease? [Get answers. Let everyone feel the bag.] That's right. Since exothermic reactions give off heat, the temperature of the solution should increase. [Record temperature.] *Record the temperature of the mixture on your worksheet.*

Feel the bag of iron filings that I sealed a few minutes ago. [Pass the new packet around.] The iron filings are cooler, aren't they? Sealing the bag kept oxygen from coming into contact with the iron. The chemical reaction stopped. No more heat is being produced.



Do you have any questions?

EXOTHERMIC REACTIONS

IRON FILINGS & OXYGEN & WATER



CALCIUM CHLORIDE & WATER



STATION TWO PROCEDURE 1

THERMAL ENERGY:	KINETIC ENERGY OF ATOMS & MOLECULES AS THEY VIBRATE & MOVE
CHEMICAL ENERGY:	POTENTIAL ENERGY STORED IN THE BONDS OF MOLECULES
ENDOTHERMIC:	A REACTION THAT REQUIRES OR ABSORBS HEAT
EXOTHERMIC:	A REACTION THAT PRODUCES HEAT

PROCEDURE—PART ONE: ENDOTHERMIC REACTIONS

After explaining each procedure, allow students time to record their hypotheses.

- Put on safety glasses
- Explain that you are going to mix two substances together to make a third substance.
- This is an endothermic reaction: it requires heat energy to make the third substance, converting heat into stored chemical energy.
- Pour 10 ml (milliliters) of vinegar into an empty plastic bag and have the students feel the vinegar to note the temperature. Place the thermometer in the bag.
- Record the temperature of the vinegar. Leave the thermometer in the bag.
- Carefully pour 10 cm³ (cubic centimeters) of baking soda into the bag. Be careful—the chemical reaction will foam to the top of the bag.
- Wait 30 seconds and record the temperature again.
- Remove the thermometer from the bag and carefully zip the bag.
- Have the students feel the bag again.

FURTHER EXPLORATIONS

- Test a variety of liquids instead of vinegar, such as different fruit juices, soda, and tea, making sure to control other variables.
- Test by varying the amount of vinegar.
- Test by varying the amount of baking soda.
- Test by cooling and heating the vinegar.

STATION TWO PROCEDURE 2

THERMAL ENERGY:	KINETIC ENERGY OF ATOMS & MOLECULES AS THEY VIBRATE & MOVE
CHEMICAL ENERGY:	POTENTIAL ENERGY STORED IN THE BONDS OF MOLECULES
ENDOTHERMIC:	A REACTION THAT REQUIRES OR ABSORBS HEAT
EXOTHERMIC:	A REACTION THAT PRODUCES HEAT

PROCEDURE—PART TWO: EXOTHERMIC REACTIONS

After explaining each procedure, allow students time to record their hypotheses.

- Put on safety glasses

Handwarmers

- Explain that you are going to let oxygen and water in the air come into contact with pieces of iron to produce a third substance, iron oxide. The reaction is exothermic: it produces heat. Some of the stored chemical energy in the oxygen and iron is transformed into heat when the iron oxide is formed. Most chemical reactions are exothermic.
- Show the students the package that held the iron filings.
- Let the students feel the new packet to note the temperature as the chemical reaction is taking place.
- Seal the new packet to prevent oxygen and water from entering the bag.
- Let students feel the old packet and note its temperature.
- After performing the second part of the demonstration—driveway ice—let the students feel the new packet that you sealed noting the temperature drop after the bag was sealed and no oxygen could enter to keep the reaction going.

Driveway Ice

- Explain that calcium chloride is used to melt ice on sidewalks and driveways. When calcium chloride comes into contact with water, a chemical reaction occurs. Some of the stored chemical energy in the calcium chloride and the water molecules is converted into heat during the reaction.
- Pour 10 ml of water into a plastic bag. Record the temperature using the thermometer.
- Pour 4 cm³ of calcium chloride into the water. Record the temperature again.

FURTHER EXPLORATIONS

- Test by heating and cooling the iron filings.
- Test the reaction of iron filings to carbon dioxide by breathing into a bag.
- Test by varying the temperature of the water with the calcium chloride.
- Test by using salt (sodium chloride) instead of calcium chloride.

STATION TWO WORKSHEET 1

PURPOSES: To explore stored chemical energy and thermal energy.
To explore endothermic reactions.

QUESTION: What happens when you mix vinegar and baking soda?

HYPOTHESIS:

PROCEDURE: Record the temperature of a bag of vinegar, then add baking soda.
Record the temperature of the mixture.

DATA:

CONCLUSION:

STATION TWO WORKSHEET 2

PURPOSES: To explore stored chemical energy and thermal energy.
To explore exothermic reactions.

QUESTIONS: What happens when you expose iron to oxygen in the presence of water?
What happens when you mix driveway ice (calcium chloride) with water?

HYPOTHESIS:

PROCEDURE: Observe the temperature of iron filings exposed to oxygen in the presence of water.
Observe the temperature of iron filings not exposed to oxygen in the presence of water.
Record the temperature of a bag of water, then add calcium chloride.
Record the temperature of the solution.

DATA:

CONCLUSIONS:

CONVERSION: A handwarmer converts _____ energy to _____ energy.

Station Three Guide: Radiant Energy

TRANSFORMING RADIANT ENERGY INTO MOTION, HEAT, AND ELECTRICITY STORING RADIANT ENERGY

MATERIALS (* NOT INCLUDED IN KIT)

1 Radiometer	3 Display Sheets	1 Fan	1 Motor	* Safety Glasses
1 Solar Panel	2 Thermometers	2 Glow Toys	* Tape	*1 Overhead Projector or Clamp Light

PREPARATION—PART ONE: LIGHT TO HEAT

Materials: Two thermometers, tape, cardboard, safety glasses

- Study the procedure and sample script to learn the experiment.
- Using a sunny window or an overhead projector for a light source, tape one thermometer on a piece of cardboard facing the light and one on the other side facing away.
- Practice your presentation.

PROCEDURE—PART ONE: LIGHT TO HEAT

- Put on your safety glasses.
- Demonstrate how one thermometer has been facing the light and one has not.
- Record the temperatures of the two thermometers.

SAMPLE SCRIPT—PART ONE: LIGHT TO HEAT

You've probably heard the expression, "It was a 100 degrees in the shade." Why do people say that? Even when the air temperature is the same, it feels hotter when you're in the sun than when you're in the shade. The sun's radiant energy is absorbed by your body and turned into heat energy, making your body feel hotter. In the shade, you only feel the heat from the air molecules striking your body.

[Show the two thermometers.] I have taped one thermometer facing the light and one facing away from the light. Which one do you think will show a higher reading? *Record your hypothesis on your worksheet.* Let's record the temperature of the two thermometers on your worksheet. The thermometer facing the light has a higher temperature because the sun's radiant energy is being transformed into thermal energy. On hot sunny days, stay in the shade.

PROCEDURE—PART TWO: RADIOMETER

Materials: Radiometer, display sheet, overhead projector or flashlight

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- This presentation works best if it is done near a window with strong sunlight. If using sunlight is a problem, use an overhead projector or clamp light as a light source.
- Practice your presentation.

PROCEDURE—PART TWO: RADIOMETER

- Explain that a radiometer is a device that can transform light into heat, then into motion.
- Hold the radiometer upside down so that the students can see the vanes, then turn it upright and place in bright light. Observe the speed with which the vanes turn.
- Move the radiometer closer to and farther from the light; observe the change in the speed of the vanes.
- Using the display sheet, explain how the light is transformed into heat, then motion.

SAMPLE SCRIPT—PART TWO: RADIOMETER

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Do you know that light can make things move? Today I'm going to show you how to change light into heat and then into motion—radiant energy into thermal energy into mechanical energy.

This is a radiometer [*rá-dē-ǎ-mǎi-ǎi*]. [Hold the radiometer upside down so that the audience can see the vanes.] There is very little air inside this bulb—it is almost a vacuum. The black and white vanes are balancing on a needle. There is nothing else inside the bulb. [Turn the radiometer over and place in bright light. Move the radiometer closer to and farther from the light to show the change in speed of the vanes spinning.]

When I put the radiometer in the light, the vanes begin to turn. The brighter the light, the faster they spin. How is the light making the vanes turn? You know that black objects get hotter than white objects in the sun. That's why most people wear white in the summer. Black objects absorb most of the radiant energy that strikes them, reflecting only a little. White objects reflect most of the radiant energy that strikes them and absorb only a little.

When I put the radiometer in light, the vanes change the light energy into heat. The heated air molecules inside the bulb bounce off the vanes with more energy. If both sides of the vanes were the same color, the vanes would never move because they would be bouncing off the vanes with the same amount of force. But the vanes aren't the same color on both sides. The black side is absorbing more energy than the white side and gets warmer than the white side. When the air molecules hit the black side they get warmer and move faster bouncing back with more energy than when they hit the white side. [Hold up Display Sheet and explain.] This is a picture of the radiometer from the top. When the air molecules hit the black sides of the vanes, they bounce with more force than when they hit the white sides, because the black sides transfer more energy to them. Since there is more force exerted on the black side than the white, the vanes begin to turn. Light is changed into heat, then into motion—radiant energy into thermal energy into kinetic energy. Do you have any questions about the radiometer?

PREPARATION—PART THREE: SOLAR PANEL

Materials: Solar panel, motor, fan, bright light source, display sheet, safety glasses


- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Practice your presentation.
- Place the solar panel near your source of light, but NOT directly facing it.

PROCEDURE—PART THREE: SOLAR PANEL

- Explain that photovoltaic cells convert radiant energy directly into electricity and point out the individual cells in the solar panel. Explain how a PV cell works using display sheet.
- Explain that the motor converts electricity into motion.
- Demonstrate that the amount of electricity produced by the panel changes when part of the panel is covered or held at different angles by observing the speed of the fan.

SOLAR PANEL ASSEMBLY AND CONNECTION INSTRUCTIONS

- Attach the wires from the motor to the connectors on the back of the PV cell by removing the nuts from the connectors, sliding the motor wires onto the posts, and replacing the nuts.
- Attach the fan to the post on the opposite end of the motor.
- Expose the PV cell to a very strong light source (bright sunlight or clamp light) and the motor will spin the fan. If you reverse the connector wires, the fan will spin in the opposite direction.
- If the fan does not spin, remove the motor leads from the PV cell and touch them to the ends of a C battery to “jumpstart” the motor, then try again.
- Change the amount of light or angle of the light hitting the PV cell and the rate of spin will change.



SAMPLE SCRIPT—PART THREE: SOLAR PANEL

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Let's investigate how we can use light to make electricity and motion. We will be converting radiant energy into electrical energy, then into motion. I'm sure you've all seen solar calculators or solar toys that use light to produce electricity. Most of the electricity we use today comes from the sunlight stored in fossil fuels such as coal. Changing light directly into electricity with a solar panel is clean and simple, but it is very expensive. Solar power costs about four times as much as coal or nuclear power because of the cost of the equipment.

This is a solar panel. [Point out solar panel and individual PV cells.] It is made of lots of photovoltaic cells, or PV cells, connected together. *Photo* means light and *volt* is a measure of electricity. PV cells are made of silicon, the same substance that is in sand. When light strikes the PV cells, the electrons in the cells move, producing an electric current. It happens instantly and silently. There are no moving parts to wear out. Let's look at how a PV cell is made and how it produces electricity.

Step 1 A very thin slab (or wafer) of pure silicon is used to make a PV cell. On the top of the slab, a small amount of the element phosphorous is added. On the base of the slab a small amount of the element boron is added. The phosphorous gives its wafer an excess of free electrons; therefore, this wafer will have a negative character. This is called n-type silicon. The n-layer is not charged – it has an equal number of protons and electrons – but some of the electrons are not held tightly to the atoms. They are free to move to different locations. The boron gives its side a positive character because it has a tendency to attract electrons. This side of the wafer also has an equal number of protons and electrons – it has a positive character but not a positive charge. This is called p-type silicon.

Step 2 Where the n-type silicon and p-type silicon meet, free electrons from the n-type are attracted to the p-type. An interesting thing happens at the moment of contact between the two sides – free electrons from the n-type flow into the p-type for a split second, then form a barrier to prevent more electrons from moving from one side to the other. The contact point and barrier is called the p-n junction.

There is a negative charge in the p-type section of the junction and a positive charge in the n-type section of the junction. This imbalance in the charge of two layers at the p-n junction produces an electric field between the p-type and n-type.

Step 3 If the PV cell is placed in the sun, photons of light energy strike the electrons in the p-n junction and energy them, knocking them free of their atoms. These electrons are attracted to the positive charge in the n-type and are repelled by the negative charge in the p-type.

Step 4 We can attach a wire from the p-type silicon to the n-type silicon. As the free electrons are pushed into the n-type, they repel each other. The wire provides a path for the electrons to flow away from each other. The flow of electrons is an electric current that we can measure with an ammeter.

This motor converts electrical energy into a spinning motion, which you can see with the fan. The amount of electrical energy depends on the number of cells in the panel. What do you think will happen if I cover half of the panel? Record your hypothesis on your worksheet. [Cover half of the panel with your hand.] Observe the speed of the fan. When I cover half the cells, the amount of electrical energy drops and the fan slows down.

If I change the angle of the panel toward the light, I can also change how much electricity is produced. [Angle the panel toward and away from the light.] More electricity is produced if the light is shining directly on the PV cells. That is because more light energy is striking the cells.

PV cells aren't very efficient. They convert only about 10 percent of the light energy that strikes into electricity. The rest is changed into heat or reflected off the surface. Scientists are working on ways to make PV cells more efficient. Now you know a way to convert light directly into electricity. Do you have any questions?

PREPARATION—PART FOUR: STORING LIGHT

Materials: Glow toy in pouch with green label, glow toy placed in sun, display sheet.

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Practice your presentation.
- Expose the other glow toy to bright sunlight or another light source for a while before the presentations begin.
- Make sure the glow toy in the pouch with the green label is not exposed to the sun or other light source.

PROCEDURE—PART FOUR: STORING LIGHT

- Explain that glow toys are made of plastic mixed with zinc sulfide - a phosphorescent material that can store radiant energy.
- Place glow toy that has been exposed to light into its pouch. Have students peek into the pouch to see the glowing toy - the stored radiant energy.
- Have students peek into the pouch with the green label. Explain that the glow toy has not been exposed to the light, so it has no energy stored in it and does not glow.

SAMPLE SCRIPT—PART FOUR: STORING LIGHT


This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

I'm sure you have seen glow toys. We know they produce radiant energy because we can see them in a dark room. Where does the radiant energy come from? [Get answers.] The radiant energy comes from the light that was absorbed by the toys earlier and stored.

Glow toys are made of plastic to which a phosphorescent chemical—usually zinc sulfide—has been added. I have two glow toys for my demonstration. One glow toy has been left in the light and the other one has been kept in this pouch with the green label away from the light. I am going to place the toy that has been left in the light into its pouch. What do you think will happen? *Record your hypothesis on your worksheet.* Now peek into the first pouch. What do you see? [Get answers.] The toy is glowing, isn't it? What do you see when you look into the pouch with the green label? The toy is not glowing.


Since light couldn't strike the glow toy in this pouch [hold up pouch with green label], it couldn't absorb any radiant energy. The other toy absorbed radiant energy when it was left in the light. The radiant energy excited the molecules in the phosphorescent material—the zinc sulfide—and stored it as electrical potential energy. Photons of light hit electrons in the zinc sulfide, causing them to jump to a higher energy level or shell. When the electrons returned to the lower shell, they emitted energy as photons of light, causing the toy to glow. There are many naturally occurring phosphorescent materials; some organisms such as fireflies even contain them. The difference between luminescence and phosphorescence is that luminescent materials cease to glow as soon as the radiant energy is removed, whereas phosphorescent materials continue to glow, sometimes for a long time. [Show Display Sheet.] Do you have any questions?

TOP VIEW OF RADIOMETER




PHOTOVOLTAIC CELL


- ⊕ proton
- ⊖ tightly-held electron
- free electron
- location that can accept an electron



GLOW TOY



**Storing Radiant Energy
as Electrical Potential Energy**



**Emitting
Radiant Energy**

STATION THREE PROCEDURE

RADIANT ENERGY:	ELECTROMAGNETIC ENERGY THAT TRAVELS IN TRANSVERSE WAVES
ELECTRICAL ENERGY:	THE MOVEMENT OF ELECTRONS
POTENTIAL ENERGY:	ENERGY OF POSITION & STORED ENERGY

PROCEDURE—PART ONE: THERMOMETERS: LIGHT TO HEAT

After explaining each procedure, allow students time to record their hypotheses.

- Tape two thermometers on opposite sides of a piece of cardboard and place the cardboard so that one thermometer is in a bright light and one in the shade.
- Demonstrate how one thermometer has been facing the light and one has not.
- Record the temperatures of the two thermometers.

PROCEDURE—PART TWO: RADIOMETER: LIGHT TO HEAT TO MOTION

- Explain that a radiometer is a device that can transform light into heat, then into motion.
- Hold the radiometer upside down so the students can see the vanes, then turn it upright and place in bright light. Observe the speed with which the vanes turn.
- Move the radiometer closer to and farther from light source. Observe the change in speed of the vanes.
- Use the display sheet to explain how the light is transformed into heat, then motion.

PROCEDURE—PART THREE: PV CELLS: LIGHT TO ELECTRICITY

- Explain that photovoltaic cells convert radiant energy directly into electricity and point out the individual cells in the solar panel.
- Explain that the motor converts electricity into motion.
- Demonstrate the amount of electricity produced when part of the cells are covered or the panel is held at different angles to the light by observing the speed of the disc.

PROCEDURE—PART FOUR: GLOW TOYS: STORING RADIANT ENERGY

- Explain that glow toys are made of a plastic to which a phosphorescent material—zinc sulfide —has been added. Phosphorescent material can store radiant energy as electrical potential energy.
- Place the glow toy that has been exposed to light into its pouch. Have the students peek into the pouch to observe the toy.
- Have students peek into the pouch with the green label, explaining that the glow toy has not been exposed to light.

FURTHER EXPLORATIONS

- Test to determine the effect of temperature on a glow toy by placing it in hot and cold water.
- Test to determine the different effects of sunlight and artificial light on the glow toy, the radiometer, and the PV cell.
- Test to determine the effect of a heat lamp on the glow toy, radiometer, and PV cell.
- Test to determine the absorption and reflection of different colors of paper with the thermometers.
- Research the scientific process of phosphorescence as demonstrated by the glow toys.

STATION THREE WORKSHEET

PURPOSES: To transform light into motion, heat, and electricity.
To store radiant energy.

QUESTIONS: How does a radiometer work?
How does a PV cell produce electricity?
Will an object in the sun be hotter than an object in the shade?
How is radiant energy stored in a glow toy?

HYPOTHESES:

PROCEDURE: Observe the radiometer and record your observations.
Observe the solar panel, motor, and disc, then record your observations.
Record the temperatures of one thermometer placed in direct light and one placed in the shade and compare.
Observe one glow toy that has been placed in direct light and one that has not and record your observations.

DATA:

CONCLUSIONS:

CONVERSIONS: A radiometer converts _____ energy to _____ and _____ energy.

A PV cell converts _____ energy to _____ energy.

Station Four Guide: Thermal Energy & Motion

TRANSFORMING MOTION INTO THERMAL ENERGY
TRANSFORMING THERMAL ENERGY INTO MOTION

MATERIALS (* NOT INCLUDED IN KIT)

1 Live Wire	1 Candle		
1 Bi-Metal Bar	Rubber Bands		
* Cup of Hot Water	Tongs		
* Large Paper Clips, straightened	* Cup of Ice Water	* Matches	* Safety Glasses

PREPARATION—PART ONE: THE WIRE HEATER

Materials: Several large paper clips, safety glasses

- Put on your safety glasses and study the procedure and sample script to learn the experiment.
- Practice your presentation.

PROCEDURE—PART ONE: THE WIRE HEATER

- Explain to the students that you will use motion to produce heat.
- Bend the piece of metal back and forth five times at the center. [Do not bend the metal more than eight times—it might break or become hot enough to burn someone.]
- Allow students to touch the paperclip at the bend to feel the heat produced.

SAMPLE SCRIPT— PART ONE: THE WIRE HEATER

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

In this demonstration we are going to change motion into heat, or thermal energy. Here I have a paperclip. I'm going to use my motion energy to bend the metal a few times. What do you think will happen when I bend this piece of metal back and forth? *Record your hypothesis on your worksheet.* [Bend the paperclip back and forth five times at the center. Let the audience feel it at the bend. CAUTION: Bending the paperclip more than eight times might break the metal or make it too hot to touch—you might burn someone.]

Carefully touch the spot where the metal was bending. What do you feel? It's hot, isn't it? When I bend the wire, the molecules of metal at the bend move faster. The motion creates friction, which produces heat. Let's trace the energy flow from the heat in this metal back to the sun. I put motion from the muscles in my hands and arms into the wire. My muscles get their energy from the stored chemical energy in the food I eat. The plants I eat transform radiant energy from the sun into the stored chemical energy and the sun gets its energy from nuclear fusion. So the energy flow from the sun is nuclear energy to radiant energy to stored chemical energy to motion to thermal energy.

You've probably converted motion into heat lots of times on cold days. Try this. Put your hands on your face to feel how much heat they have. Now, rub your hands together for ten seconds and put them back on your face. Do they feel warmer? They should. You have just converted motion into heat. Do you have any questions?

PREPARATION—PART TWO: RUBBER BANDS

Materials: One rubber band for each student

- Put on your safety glasses and study the procedure and sample script to learn the experiment.
- Practice your presentation.

PROCEDURE—PART TWO: RUBBER BANDS

Give the students rubber bands and demonstrate how to hold them with their index fingers inside the ends of the rubber bands and their thumbs on the outside, pinching them firmly. Hold the rubber band loosely against your forehead. Demonstrate how to stretch the rubber band very quickly to twice its length, while against your forehead. Have audience members quickly stretch the rubber bands on their foreheads. Keeping the rubber band against their foreheads, allow the bands to contract, concentrating on the temperature.

Explain that the energy used to stretch the rubber bands produces heat, so the bands should feel warm when they are stretched and cool as they contract.

SAMPLE SCRIPT—PART TWO: RUBBER BANDS

Now let's do an experiment that both gives off energy and takes in energy. [Give everyone a rubber band. Show how to hold them.] Hold the rubber band by each end against your forehead. Quickly stretch the rubber band to at least twice its length, while keeping it on your forehead and allow it to return to its original length. Have them try it several times. Do you feel anything as the rubber band contracts? Concentrate on how the rubber band feels as it returns to its original size. Do you feel a change in temperature?

The rubber band should feel warm when it is stretched and cool when it contracts. When you stretch the rubber band, you put stress on the molecules, and they give off heat. When the rubber band contracts, the stress is removed and the molecules absorb heat. Do you have any questions?

PREPARATION—PART THREE: THE LIVE WIRE

Materials: Live wire, cup of hot water, tongs, safety glasses

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Have your teacher provide you with a cup of very hot water. It should be very hot, but not boiling. Handle the hot water very carefully. It could burn you or your audience. Always use tongs when placing the live wire into and taking it out of the water.
- Place the live wire into the hot water for a moment before each presentation so that the wire is in its original shape when the presentation begins.
- Practice your presentation.

PROCEDURE—PART THREE: THE LIVE WIRE

- Explain that a live wire is made of nickel and titanium—a combination that can be treated with heat so that it “remembers” its original shape when it is heated again.
- Show the live wire in its original shape, then twist it into different shapes, but do not tie it in a knot.
- Explain some of the uses for alloys that can “remember” their original shapes.
- Using the tongs, CAREFULLY dip the live wire into the hot water, then remove it. **WARNING:** Do not let anyone put his/her face near the cup; The wire may spring out of the cup if you don't hold it by the tongs.
- Show that the live wire has returned to its original shape.

SAMPLE SCRIPT—PART THREE: THE LIVE WIRE

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Let's explore how an alloy with a “memory” can be a power source. I will change heat into motion. This is called a Nitinol [ni-tin-ō] wire. Nitinol is made of nickel and titanium that has been treated in a heat process so that it has a “memory”. Most metals stay in whatever shape you put them in, but Nitinol is different. Nitinol “remembers” its original shape when it is heated. It is used, for example, to control the temperature of greenhouses. If the temperature inside gets too hot, a Nitinol spring opens a door to let in air.

The original shape of our wire looks like this. [Hold up wire.] I can bend this wire into any kind of shape I want. Watch! [Bend the wire into another shape, but don't tie it into a knot.] What do you think will happen if I place the wire into hot water? *Record your hypothesis on your worksheet.*

If I heat this wire to give it thermal energy, it should return to its original shape. [Carefully lower the wire into the cup of hot water and remove it with the tongs. The wire should return to its shape.] The heat in the water made the wire return to its original shape. The thermal energy was transformed into motion. Do you have any questions?

PREPARATION—PART FOUR: THE BI-METAL BAR

Materials: Bi-metal bar, candle, matches, cup of ice water, safety glasses

- Put on your safety glasses and study the procedure and sample script to learn the experiment.
- CAUTION:** Place candle in the middle of the table, away from you and your audience. Get matches from your teacher and CAREFULLY light your candle or have your teacher light it for you. Be careful to keep your clothes and your audience away from the candle during your presentation.
- Practice your presentation.

PROCEDURE—PART FOUR: THE BI-METAL BAR

- Explain that when objects are heated—given more energy—they expand.
- Show students the bi-metal bar and explain that it is made of two metals—nickel and stainless steel—that expand at different rates when they are heated. [The coefficient of linear expansion of a material is the change in length of the material per unit length that accompanies a change in temperature of one degree Celsius. The coefficient of linear expansion of nickel is $13 (10^{-6}/^{\circ}\text{C})$ and the coefficient of linear expansion of stainless steel is $17.3 (10^{-6}/^{\circ}\text{C})$.]
- Carefully hold the bi-metal bar in the top of the candle flame so that both sides of the bar are in the flame. When the blade begins to bend, remove it. DO NOT touch the bar: it will be very hot and could burn you or your audience.
- Place the bar into the cup of ice water for a moment and show students how the bar bends the opposite way. Explain that the metals also contract at different rates when heat is removed.

SAMPLE SCRIPT—PART FOUR: THE BI-METAL BAR

When substances and objects are heated, they expand. I'm sure you've all seen the spaces between sections of sidewalk. They are designed that way so that the concrete can expand on hot, sunny days without cracking.

Sometimes in the summer, it's hard to open doors. The metal or wood in the doors has expanded. Heat energy has made the molecules in the concrete and doors move faster, and they have expanded. Heat energy has produced motion. All objects expand when they are heated, but they don't expand at the same rate. Gases and liquids expand very quickly when they are heated. Their molecules can move about freely. A thermometer works because the liquid inside expands when it is heated.

Solids don't expand as much as gases and liquids because their molecules can't move freely. It's sometimes hard to see them expand. Here I have a bi-metal bar to show you how metals expand when heated. This bar is made of two metals: one side is nickel, the other side is stainless steel. These metals expand at different rates. What do you think will happen if I heat the bar? *Record your hypothesis on your worksheet.*

[Carefully hold bar in the candle flame, about two inches from the tip, so that both sides of the metal are in the flame. Remove it AS SOON AS YOU SEE IT BEND.] The stainless steel in the bar expands more than the nickel so that when it is heated, the bar bends. The stainless steel side is the outside of the curve. What do you think will happen if I take heat energy away from the bar? *Record your hypothesis on your worksheet.* [Place bar in ice water until it bends the other way, then remove it.] The bar bends the other way. The stainless steel side also contracts faster when energy is taken away, so it is now on the inside of the curve.

The coefficient of expansion of a material is the change in length or area of the material per unit length or unit area that accompanies a change in temperature of one degree Celsius. The coefficient of linear expansion of nickel is $13 (10^{-6}/^{\circ}\text{C})$ and the coefficient of linear expansion of stainless steel is $17.3 (10^{-6}/^{\circ}\text{C})$.

Bi-metal strips like this are very useful. They are used in thermostats on furnaces and air conditioners to control the temperature. When the temperature in a room reaches a certain temperature, the bi-metal strip will bend enough to close a circuit and turn on the furnace or air conditioner. You've just seen how thermal energy can be changed into kinetic energy—heat into motion. Do you have any questions?

STATION FOUR PROCEDURE

THERMAL ENERGY:	KINETIC ENERGY OF ATOMS & MOLECULES AS THEY VIBRATE & MOVE
KINETIC ENERGY:	MOVEMENT OF ATOMS, MOLECULES, SUBSTANCES & OBJECTS
MOTION:	MOVEMENT OF SUBSTANCES & OBJECTS FROM ONE PLACE TO ANOTHER

After explaining each procedure, allow students time to record their hypotheses.

- Put on your safety glasses.

PROCEDURE—PART ONE: WIRE HEATER: MOTION TO HEAT

After explaining each procedure, allow students time to record their hypotheses.

- Bend the piece of metal back and forth FIVE TIMES ONLY at the center.
- Allow students to touch the hanger at the bend to feel the heat produced.

PROCEDURE—PART TWO: RUBBER BANDS

- Give each audience member a rubber band and show how to hold them.
- Demonstrate how to stretch the rubber band, place it on the forehead and allow it to contract, concentrating on the temperature as the rubber band contracts.
- Explain that the rubber bands should feel warmer when they are stretched and cooler as they contract.

PROCEDURE—PART THREE: LIVE WIRE: HEAT TO MOTION

After explaining each procedure, allow students time to record their hypotheses.

- Explain that a live wire is made of metal that remembers its original shape when heated.
- Show the live wire in its original shape, then twist it into different shapes.
- Using the tongs, CAREFULLY dip the live wire into hot water, then remove it and show that the live wire has returned to its original shape.
- Explain some of the uses for metals that can remember their original shape.

PROCEDURE—PART FOUR: BI-METAL BAR: HEAT TO MOTION

- Show students the bi-metal bar and explain that it is made of two metals that expand at different rates when they are heated.
- Hold the bi-metal bar in the flame so that both sides of the bar are in the flame until it begins to bend, then remove it. DO NOT TOUCH the bar; it will be very hot and could burn you or your audience.
- Place the bar into the ice water and show how the bar bends the opposite way, explaining that the metals also contract at different rates when cooled.

FURTHER EXPLORATIONS

- Test to determine the effect of putting the live wire in a bright light.
- Test to determine the effect of placing the live wire in ice water.
- Test to determine the effect of placing the bi-metal bar in very hot water, in a bright light, and under a heat lamp.
- Test to determine the effect of bending materials other than rigid metals, such as plastic straws, cardboard, wood, and rolled aluminum foil.
- Conduct research to determine how a thermostat and thermocouple work.

STATION FOUR WORKSHEET

PURPOSES: To transform heat into motion.
To transform motion into heat.

QUESTIONS: What does a live wire do?
What happens when you bend a piece of metal back and forth?
Why does a bi-metal bar bend when it is heated?
What happens when balloons stretch and contract?

HYPOTHESES:

PROCEDURE: Observe the live wire and record your observations.
Observe the piece of metal after it is bent and record your observations.
Observe the bi-metal bar as it is heated and cooled and record your observations.
Stretch and contract a balloon against your forehead and record your observations.

DATA:

CONCLUSIONS:

CONVERSIONS: The bi-metal bar converts _____ energy into _____ energy.
The live wire converts _____ energy into _____ energy.
The balloon converts _____ energy into _____ energy.
Bending the metal converts _____ energy into _____ energy.

Station Five Guide: Chemical Energy

TRANSFORMING CHEMICAL ENERGY INTO RADIANT ENERGY TRANSFORMING CHEMICAL ENERGY INTO ELECTRICAL ENERGY

MATERIALS (* NOT INCLUDED IN KIT)

8 Lightsticks	1 Large Zinc Nail	2 Thick Copper Wires	*Metric Ruler
1 Small Zinc Nail	1 Thin Copper Wire	1 Meter	*Black Permanent Marker
1 Tin Wire	1 Display Sheet	Alligator Clips	*Safety Glasses
*1 Cup of Hot Water (not boiling)	* 1 Cup of Cold Water	* 1 Apple	

PREPARATION—PART ONE: LIGHTSTICKS

Materials: Lightsticks, cups of cold and hot water, safety glasses

- Study the procedure and sample script to learn the experiment.
- Take three lightsticks out of their packages, but do not break them until you begin your first presentation.
- CAUTION: Get a cup of hot water from your teacher. Be very careful with the water and place it so that you don't burn yourself or a member of your audience. You might need to get a new cup of hot water before each presentation.
- Practice your presentation.

PROCEDURE—PART ONE: LIGHTSTICKS

- Show your audience a lightstick, pointing out the glass ampule inside. Explain that there are two chemicals (hydrogen peroxide and an ester) inside the lightstick and the ampule.
- Separately, bend two lightsticks until the ampule inside each breaks, but do not shake. Only break two lightsticks for the first presentation; for the other presentations, show the audience the unbroken lightstick, then use the broken one. You may need to use another lightstick if the first one becomes dim.
- Explain how the chemicals are reacting to produce light.
- Place one lightstick in the cold water, and the other in the hot water and point out how the intensity of light changes with the temperature.

SAMPLE SCRIPT—PART ONE: LIGHTSTICKS

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

At this station, you will see chemical energy changed into light energy. [Hold up a lightstick so that the audience can see it. Point out the glass ampule inside.] This is called a lightstick. You've probably all seen them in toy stores, especially at Halloween. The lightstick is filled with a substance called an ester. An ester is an organic compound that is formed by a reaction between an alcohol and an acid. Inside the lightstick you can see a glass container, or ampule. This ampule contains hydrogen peroxide, a liquid used to clean cuts. Right now the two chemicals can't touch each other. What do you think will happen when I bend the lightstick and break the ampule inside? [Bend the lightstick until you hear the glass snap, do not shake it.] [Note: ONLY break lightsticks for the first group. For the other groups, show them the unbroken lightstick and then use the broken one. If the lightstick becomes too dim before your presentations are over, you can break another one.]

The lightstick is producing light—radiant energy. When I broke the glass, the hydrogen peroxide and ester reacted to form different chemical compounds. The new compounds don't need as much energy to hold their molecules together, so they release the extra energy as light. Only a few chemical reactions emit light—most emit heat. The fluorescent dye in the lightstick absorbs the light and becomes energized. When the dye gives up the extra energy and returns to its normal state, it emits the light it absorbed and that is the light we see.

You've probably seen lightsticks of different colors. They have different fluorescent dyes in them. The reaction between the hydrogen peroxide and the ester is the same.

What do you think will happen if I put a lightstick in cold water and another lightstick in hot water? *Record your hypothesis on your worksheet.* [Place one lightstick into the cold water and one lightstick into the hot water.] The lightstick in the cold water isn't as bright. It really glows when it's in hot water.

How does heat change the brightness of the lightstick? Some of the heat energy from the hot water is absorbed by the chemicals in the lightstick. The added energy makes the chemicals react faster and produce more light. The cold water takes some of the heat energy from the lightstick, so the reaction slows down. The lightstick will glow for about two hours at room temperature, but only for about 30 minutes in the hot water. It might glow for six hours in the cold water.

If we add heat, the lightstick will glow brighter, but for a shorter time. If we take away heat, it will glow for a long time, but not as brightly. Either way, the same total amount of light will be produced. The lightstick is a good example of changing chemical energy into light energy.

CHEMILUMINESCENCE

The lightstick is made of a flexible plastic tube containing a thin-walled glass tube. Inside the glass tube is a solution of hydrogen peroxide, H_2O_2 . Outside the glass tube is a solution containing a phenyl oxalate ester and a fluorescent dye. When the lightstick is bent, the thin-walled glass tube breaks and its contents mix with the solution outside. Then, the H_2O_2 reacts with the phenyl oxalate ester. During the reaction, an intermediate forms that transfers energy to the dye molecules. The energized dye molecules release this energy as visible light. The process in which energy from a chemical reaction is released directly as radiant energy or visible light is called chemiluminescence.

PREPARATION—PART TWO: THE APPLE BATTERY

Materials: Meter, thick and thin copper wire, zinc nail, tin wire, alligator clips, permanent marker, apple, safety glasses

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Measure and make a one centimeter mark (with a permanent marker) on the end of each wire and nail.
- Place the meter on table so that the audience can see its face. The meter will indicate when there is an electric current produced.
- Practice your presentation.

PROCEDURE—PART TWO: THE APPLE BATTERY

- Explain that you will be using the chemical energy in an apple to make electricity.
- Insert the large zinc nail and the thick copper wire one centimeter into the apple, making sure the ends don't touch each other. Attach the end of one clip to the positive (red) terminal of the meter and the other end of the clip to the copper wire. Attach one end of the alligator clip to the negative (black) terminal of the meter and the other end of the clip to the zinc nail. Point out that the meter is showing an electric current in the wire.
- Using the Display Sheet, explain to the audience how the acid in the apple reacts with metals to free electrons and produce an electric current.
- Push the nail and wire four centimeters into the apple and point out the meter reading.
- Pull the copper wire out part way, then reverse the arrangement, observing the meter.
- Push the nail and wire into the apple so that the ends are touching. Point out that there is no current and explain a short circuit.
- Insert the thin copper wire into the apple and compare the current of the copper wires with the nail.
- Attach the two thick copper wires to the meter and explain why there is no current.
- Insert the tin wire into the apple, along with the copper and zinc, making sure none of the ends touch. Explore the different combinations of metals.

SAMPLE SCRIPT—PART TWO: THE APPLE BATTERY

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

I'm going to use the chemical energy in the apple to make electricity. Chemicals are everywhere. Take this apple, for example. [Hold up apple.] It has malic acid that can be used to make a battery. I have a zinc nail and a piece of copper wire. I've measured one centimeter from each end and I'm going to push them into the apple. [Attach one alligator clip to the zinc nail and the other clip to the copper wire.] Now I'm going to attach them to this meter, which measures electric current. What do you think will happen? *Record your hypothesis.* [Attach the clip on connected to the copper wire to the positive (red) terminal and attach the clip connected to the zinc nail to the negative (black) terminal.]

As you observe the meter, you can see that the needle has moved to the right to indicate an electric current. The question is why. When I put the zinc and copper into the apple, they both react with the acid, but they don't react the same way. The different reactions create an imbalance in electrical charge. The charge flows from the zinc-covered nail through the meter to the copper wire and then back to the nail through the apple. This flow of electrical charge registers on the meter. Chemical energy is converted to electrical energy. *Record your observations on your worksheet.*

Electrons carry a charge from the zinc nail through the wires and the meter to the copper wire. Look at the direction the needle on the meter is pointing. It shows that the charge is flowing from the zinc to the copper. This is the way all batteries work. There are two metals and acids in batteries, and the electric charge flows from one metal to the other, converting chemical energy into electrical energy.

What do you think will happen if I push the zinc and copper all the way into the apple? [Push both in about 4 cm, making sure the ends don't touch.] Look at the meter. There is more electric current because there is more metal to react with the acid and more electrons free to move. *Record your observations on your worksheet.*

What do you think will happen if only one metal is pushed in all the way? [Pull the zinc nail out to the 1 cm mark.] The current drops, doesn't it? There isn't as much zinc to give up electrons. Let's try the opposite way, pushing in the zinc and pulling out the copper. [Pull the copper wire out to the 1 cm mark.] Same result, right? Even if there's a lot of zinc to give up electrons, there isn't a lot of current because there isn't a lot of copper to accept the electrons. *Record your observations on your worksheet.*

This time I'm going to push both metals into the apple so that the ends are touching each other. What do you think will happen? [Push copper wire and nail in so the ends touch inside the apple.] No current is flowing through the meter. Does this mean there is no electric current? No, it just means the electrons are flowing straight from one metal to the other. Electrons always take the easiest path. This is called a short circuit, because the electrons are taking the shortest path. *Record your observations on your worksheet.*

Let's try something else. I'm going to put this thin copper wire into the apple, too, so that we can compare the current. Which wire do you think will produce more current? [Put both wires and nail into the apple about 4 cm so the ends aren't touching. Measure the current using the thick wire, then the thin wire.] First, let's measure the current of the thick copper wire. Now let's measure the thin wire. The thick wire produces more current, because it has more surface area to come in contact with the acid. *Record your observations on your worksheet.*


What do you think will happen if I attach the two thick copper wires to the meter? [Attach copper wires to the meter.] There shouldn't be any current, should there? Both copper wires are electron acceptors. There is no electron donor. Let's attach both zinc nails to the meter and see what happens. [Attach both zinc nails to meter.] There is no current produced in this case either. Both nails are electron donors. There is no electron acceptor. There are no moving electrons. *Record your observations on your worksheet.*

Now let's try a new metal—tin. Let's place all three metals into the apple to see if tin will be an electron donor or acceptor. [Insert the large zinc nail, the thick copper wire, and the tin wire into the apple, making sure the ends don't touch.] Observe the meter. When I attach the tin and the copper into a circuit, you can see that tin is an electron donor. *Record your observations on your worksheet.*

When I use the zinc nail and the tin, watch what happens. The needle on the meter moves the other way. That's because the tin has now become the electron acceptor. The combination of metals determines which metal will be the electron donor and which will be the electron acceptor.

We have explored several ways an apple battery can convert chemical energy into electrical energy. Do you have any questions?

APPLE BATTERY



STATION FIVE PROCEDURE

CHEMICAL ENERGY:	POTENTIAL ENERGY STORED IN THE BONDS OF MOLECULES
RADIANT ENERGY:	ELECTROMAGNETIC ENERGY THAT TRAVELS IN TRANSVERSE WAVES
ELECTRICAL ENERGY:	THE MOVEMENT OF ELECTRONS

After explaining each procedure, allow students time to record their hypotheses.

- Put on safety glasses

PROCEDURE—PART ONE: LIGHTSTICK: CHEMICAL TO RADIANT

- Point out the ampule inside the lightstick and explain the two chemicals (hydrogen peroxide and an ester).
- Bend the lightstick until the ampule breaks, and explain how the two chemicals are reacting to produce light.
- Place the lightstick in cold water, then in hot water using the tongs and point out how the intensity of light changes with the temperature.

PROCEDURE—PART TWO: APPLE BATTERY: CHEMICAL TO ELECTRICAL

- Explain that you will be using the chemical energy in an apple to make electrical energy.
- Insert large zinc nail and thick copper wire into the apple about 1 cm. Attach one clip to the copper wire and the other to the zinc nail. Attach the zinc nail to the negative (black) terminal and the copper wire to the positive (red) terminal of the meter. Point out that the meter is showing an electric current in the wire.
- Use the Display Sheet to explain what is taking place.
- Push the nail and wire 4 cm into the apple and point out the meter reading.
- Pull the copper wire out part way, then reverse the arrangement, observing the meter.
- Push the nail and wire into the apple so that the ends are touching. Point out that there is no current and explain a short circuit.
- Insert the thin copper wire and compare the meter readings of the two copper wires.
- Attach the two copper wires to the meter and explain why there is no current.
- Insert the tin wire into the apple, along with the copper and zinc, making sure none of the ends touch. Explore the different combinations of metals and explain.

FURTHER EXPLORATIONS

- Test to determine the effect of using different kinds of apples.
- Test to determine the effect of the degree of ripeness of a fruit.
- Test to determine the effect of using different fruits, such as a banana, with the electrodes at the ends.
- Test to determine the effect of using different liquids instead of an apple, such as soda, milk, vinegar, tea, salt water, and detergent.
- Test to determine the effect of using other substances such as meat or mud.
- Test to determine the effect of using other metals, such as aluminum or steel, as the electrodes.
- Conduct research to determine the chemical reaction taking place in the lightstick.
- Conduct research to determine how the concentration of ions in fruits affects conductivity.

STATION FIVE WORKSHEET

PURPOSES:

To transform chemical energy into radiant energy.

To transform chemical energy into electrical energy.

QUESTIONS:

How does a lightstick produce radiant energy?

How does an apple battery change chemical energy into electrical energy?

What happens when the copper wire and the nail touch inside the apple?

HYPOTHESES:**PROCEDURE:**

Observe the lightstick in hot and cold water and record your observations.

Observe the apple battery with different metals. Record your observations.

DATA:**CONCLUSIONS:****CONVERSIONS:**

A battery converts _____ energy into _____ energy.

A lightstick converts _____ energy into _____ energy.

Station Six Guide: Electrical Energy

TRANSFORMING MOTION INTO ELECTRICITY AND LIGHT TRANSFORMING ELECTRICITY INTO MOTION

MATERIALS (* NOT INCLUDED IN KIT)

1 Hand Generated Flashlight	2 Display Sheets	Alligator Clips	1 D Battery
1 Covered Wire	1 9-volt Battery	1 Compass	
2 Motors (1 disassembled)	* Tape	* Safety Glasses	

PREPARATION—PART ONE: COMPASS

Materials: Heavy-gauge coated wire, D battery, compass, safety glasses

- Put on your safety glasses and examine the equipment.
- Study the procedure and sample script to learn the experiment.
- Practice your presentation.

PROCEDURE—PART ONE: COMPASS

- Bend the wire into the shape of an open-sided rectangle as shown in the diagram.
- Tape one end of the wire to each terminal of the battery. **WARNING:** The battery and the uncovered ends of the wire can get very hot.
- Explain how the needle of the compass is a magnet pointing north.
- Place the wire over the compass so that the wire is on top of the needle going in the same direction. Observe the needle of the compass.
- Explain that the electric current in the wire makes it act like a magnet.
- Move the compass over the wire. Observe the needle moving in the opposite direction.
- Explain the action of the needle as a result of the action of two magnets.



SAMPLE SCRIPT—PART ONE: COMPASS

Here I have a battery, a piece of copper wire, and a compass. With these three things, I can convert electrical energy into motion. First, I will attach the wire to the battery to produce an electric current. If I place this wire over the compass, what do you think will happen? *Record your hypothesis on your worksheet.* [Attach the wire to the battery. Then place the wire over the compass so that the wire is lying in the same direction as the needle of the compass.]

Watch the needle of the compass—it's moving. Why do you think this is happening? The electric current flowing through the wire, creates a magnetic field around the wire, and turns the wire into an electromagnet. The needle in the compass is also a magnet, pointing to north. What happens when two magnets are placed together? Either they attract or repel each other, right? That's what is happening here.

If I pick up the compass and move it over the wire, what do you think will happen? *Record your hypothesis on your worksheet.* [Move the compass across the wire.] The needle moves in the opposite direction. This is because the magnetic field around the wire is like a circle magnet—one side is the north pole of the magnet and the other side is the south pole. Here we've used electrical energy from a battery to move the needle of a compass. We've changed chemical energy to electrical energy to motion. Do you have any questions?


PREPARATION—PART TWO: MOTORS & BATTERIES

Materials: Hand generated flashlight, 9-volt battery, 2 motors (1 disassembled), alligator clips, safety glasses

- Put on safety glasses and examine the equipment.
- Place a piece of tape on the motor shaft like a flag so that it is easier to see the shaft spin.
- Study the procedure and sample script to learn the experiment.
- Practice your presentation.

PROCEDURE—PART TWO: MOTORS & BATTERIES

- Show the hand generated flashlight; point out the coils of wire and the magnet. Explain that spinning a magnet inside the coils of wire produces an electric current, charging a battery that lights the bulb.
- Show the disassembled motor; pull out the coils of wire and magnet.
- Connect the motor to the 9-volt battery with the alligator clips; Observe the direction of the spinning motor shaft. Explain that the chemical energy in the battery is producing electrical energy, making the shaft of the motor turn. Disconnect the clips from the 9-volt battery.
- Touch the alligator clips to the opposite terminals of the 9-volt battery. Observe the direction of the spinning motor shaft.
- CAUTION: Do not try this with other batteries without permission from your teacher.



SAMPLE SCRIPT—PART TWO: MOTORS & BATTERIES

This script is just a sample. You should not read it word for word or memorize it. The important things are to understand the concepts and that you are able to communicate them to your audience.

Here I have two tiny electric motors. Lots of little toys have motors like these. They make the toys move; they produce motion. Let's look inside one of these motors. [Hold up motor that has been taken apart. Pull out the shaft with the coils of wire.] Inside the motor, you can see a coil of wire on this shaft with small magnets inside the casing.


We learned in the compass investigation that when electricity flows through a coil of wire, it produces a magnetic field around the wire and the wire will act like a magnet. When you bring the same ends of two magnets together—North and North or South and South—they repel each other—they push each other away. Inside the motor, the magnets push away from the magnetic field in the coil of wire. This turns the shaft of the motor. You have electrical energy producing motion. Toy motors get their electrical energy from batteries that make electrical energy from the chemical energy stored in them.

What do you think will happen if I connect the wires from the motor to the 9-volt battery. *Record your hypothesis on your worksheet.* [Connect the motor to the 9-volt battery with the alligator clips.] Electrical energy from the battery will flow through the coil of wire in the motor. The coil of wire will become a magnet—an electromagnet. As you can see the shaft begins to spin. Observe the direction in which the shaft is spinning. If I switch the alligator clips to the opposite ends of the battery, what do you think will happen? *Record your hypothesis on your worksheet.* [Switch the clips to the opposite terminals of the 9-volt battery.] The motor reverses direction. The current flows from one end of the battery to the other and determines the direction of the spin of the motor shaft.


This is a hand generated flashlight. It uses a person's motion to produce electricity that charges a battery to light the bulb. Inside there is a magnet and two coils of copper wire. [Show the audience the flashlight, pointing out the coils of wire and magnet.] When I use my energy to squeeze the handle, the magnet spins. The spinning magnet inside the coils of wire produces an electric current that flows to a battery, then to the bulb. I'm using the motion of my hand to generate electricity. The more kinetic energy I use, the brighter the bulb glows. [Show how the bulb is brighter when you squeeze the handle quickly.]

Power plants use this same concept to produce electricity. Many energy sources are used to spin giant turbines that rotate coils of copper wire inside magnets to produce electricity. In most power plants, coal is burned to heat water to make steam to spin the turbines. Windmills use the motion energy in the wind to spin the turbines. Hydropower plants use the force of falling water. [Use Display of Power Plant.]

BURNING COAL TO MAKE ELECTRICITY



TURBINE GENERATOR



STATION SIX PROCEDURE

ELECTRICAL ENERGY:	THE MOVEMENT OF ELECTRONS
CHEMICAL ENERGY:	POTENTIAL ENERGY STORED IN THE BONDS OF MOLECULES
MOTION:	MOVEMENT OF SUBSTANCES & OBJECTS FROM ONE PLACE TO ANOTHER

PROCEDURE—PART ONE: COMPASS

- Bend the wire into an open-sided rectangle and hold one end of the wire to each terminal of the D battery. The wire and battery can get very hot over time so be careful.
- Explain how the needle of the compass is a magnet pointing north.
- Place the wire over the compass so that the wire is on top of the needle going in the same direction. Observe the needle of the compass.
- Explain that the electric current in the wire makes it act like a magnet.
- Move the compass over the wire. Observe the needle moving in the opposite direction.
- Explain the action of the needle as a result of the action of two magnets.

PROCEDURE—PART TWO: MOTORS & BATTERIES

After explaining each procedure, allow students time to record their hypotheses.

- Show the hand generated flashlight. Point out the coils of wire and the magnet. Explain that spinning a magnet in coils of wire produces an electric current that charges a battery that lights the bulb.
- Show the disassembled motor, pointing out the coil of wire and magnets.
- Place a piece of tape on the assembled motor shaft as a flag. Connect the motor to the 9-volt battery and explain how the chemical energy in the battery is producing electrical energy, making the shaft of the motor spin. Observe the speed and direction of the spinning shaft of the motor.
- Switch the clips to the opposite terminals of the battery. Observe the direction of the spin.

FURTHER EXPLORATIONS

- Test to determine what effect the apple battery from Station Five has on the compass.
- Test to determine what effect the PV cell from Station Three has on the compass.
- Test to determine whether the apple battery will run the motor.
- Make a flow chart of the energy transformations of the no-battery flashlight.
- Research and explain Faraday's Law and its application to motors and generators.
- Make a list of the motors and generators you use on a routine basis and the impact they make on your life.

STATION SIX WORKSHEET

PURPOSES:

To transform electrical energy into motion.

To transform motion into electrical energy and light.

QUESTIONS:

How does a hand generated flashlight transform motion into light?

How does a motor transform electrical energy into motion?

How does an electric current affect a compass?

HYPOTHESES:**PROCEDURE:**

Observe the hand generated flashlight and record your observations.

Observe the motors and batteries and record your observations.

Observe the compass as affected by electric current and record your observations.

DATA:**CONCLUSIONS:****CONVERSIONS:**

A motor converts _____ energy into _____ energy.

A generator converts _____ energy into _____ energy.

Science of Energy Exam

- _____ 1. Which is NOT a form of kinetic energy?
a. heat b. gravity c. motion d. sound
- _____ 2. The movement of molecules within substances is what form of energy?
a. chemical b. thermal c. nuclear d. mechanical
- _____ 3. In which form do most energy flows begin?
a. electrical b. chemical c. radiant d. nuclear
- _____ 4. In which form of energy do most of the energy sources we rely on store energy?
a. chemical b. electrical c. nuclear d. radiant
- _____ 5. Photosynthesis converts radiant energy into which form of energy?
a. electrical b. chemical c. thermal d. kinetic
- _____ 6. An endothermic reaction...
a. emits light b. absorbs heat c. produces heat
- _____ 7. Radiant energy can be converted into...
a. electrical b. motion c. thermal d. all three
- _____ 8. Electrical energy can be produced from...
a. motion b. chemical c. radiant d. all three
- _____ 9. Our bodies use the chemical energy stored in food to produce...
a. motion b. thermal c. electrical d. all three
- _____ 10. An object held in the air has what kind of energy?
a. kinetic energy b. potential energy c. radiant energy
11. What is an electromagnet?
12. A wind turbine converts the movement of the wind into what form(s) of energy?
13. A firecracker converts chemical energy into what form(s) of energy?
14. Trace the energy flow of the light from a firefly back to the sun.
15. Why do we convert so many of the energy sources we use into electricity?

Energy Flow

Below are seven forms of energy involved in an energy flow. Your job is to unscramble the energy flow so that the forms of energy are in the proper order. Number the pictures from one to nine on the lines to the right of the pictures, with number one as the beginning of the flow.




Radiant Energy



Motion



Chemical Energy



Nuclear Energy



Radiant Energy



Electrical Energy



Chemical Energy



Chemical Energy

SECONDARY SCIENCE OF ENERGY

Evaluation Form

State: _____ **Grade Level:** _____ **Number of Students:** _____

- | | | |
|--|-----|----|
| 1. Did you conduct the entire activity? | Yes | No |
| 2. Were the instructions clear and easy to follow? | Yes | No |
| 3. Did the activity meet your academic objectives? | Yes | No |
| 4. Was the activity age appropriate? | Yes | No |
| 5. Were the allotted times sufficient to conduct the activity? | Yes | No |
| 6. Was the activity easy to use? | Yes | No |
| 7. Was the preparation required acceptable for the activity? | Yes | No |
| 8. Were the students interested and motivated? | Yes | No |
| 9. Was the energy knowledge content age appropriate? | Yes | No |
| 10. Would you use the activity again? | Yes | No |

How would you rate the activity overall (excellent, good, fair, poor)?

How would your students rate the activity overall (excellent, good, fair, poor)?

What would make the activity more useful to you?

Other Comments:

Please fax or mail to:

NEED Project

PO Box 10101

Manassas, VA 20108

FAX: 1-800-847-1820

NEED National Sponsors and Partners

American Association of Blacks in Energy
 American Electric Power
 American Electric Power Foundation
 American Petroleum Institute
 American Solar Energy Society
 American Wind Energy Association
 Aramco Services Company
 Areva
 Armstrong Energy Corporation
 Association of Desk & Derrick Clubs
 All Wild About Kentucky's Environment
 Robert L. Bayless, Producer, LLC
 BP Foundation
 BP
 BP Alaska
 BP Solar
 Bureau of Land Management –
 U.S. Department of the Interior
 C&E Operators
 Cape and Islands Self Reliance
 Cape Cod Cooperative Extension
 Cape Light Compact–Massachusetts
 L.J. and Wilma Carr
 Center for the Advancement of Process
 Technology–College of the Mainland–TX
 Chesapeake Public Schools–VA
 Chesterfield County Public Schools–VA
 Chevron
 Chevron Energy Solutions
 ComEd
 ConEd Solutions
 ConocoPhillips
 Council on Foreign Relations
 CPS Energy
 Cypress-Fairbanks Independent
 School District–TX
 Dart Foundation
 Desk and Derrick of Roswell, NM
 Dominion
 Dominion Foundation
 Duke Energy
 EDF
 East Kentucky Power
 El Paso Foundation
 EnCana
 Energy Information Administration –
 U.S. Department of Energy
 Energy Training Solutions
 Energy and Mineral Law Foundation
 Energy Solutions Foundation
 Equitable Resources
 Escambia County School District–FL
 FPL Energy Encounter–FL
 First Roswell Company
 Florida Department of Environmental
 Protection
 Foundation for Environmental Education
 Georgia Environmental Facilities Authority
 Guam Energy Office
 Gulf Power
 Halliburton Foundation
 Gerald Harrington, Geologist
 Houston Museum of Natural Science
 Hydro Foundation for Research and Education
 Idaho Department of Education
 Illinois Clean Energy Community Foundation
 Independent Petroleum Association of
 America
 Independent Petroleum Association of New
 Mexico
 Indiana Office of Energy and Defense
 Development
 Interstate Renewable Energy Council
 Iowa Energy Center
 Kentucky Clean Fuels Coalition
 Kentucky Department of Energy
 Development and Independence
 Kentucky Oil and Gas Association
 Kentucky Propane Education and Research
 Council
 Kentucky River Properties LLC
 Kentucky Utilities Company
 Keyspan
 KidWind
 Lenfest Foundation
 Llano Land and Exploration
 Long Island Power Authority–NY
 Louisville Gas and Electric Company
 Maine Energy Education Project
 Maine Public Service Company
 Marianas Islands Energy Office
 Maryland Energy Administration
 Massachusetts Division of Energy Resources
 Michigan Energy Office
 Michigan Oil and Gas Producers Education
 Foundation
 Minerals Management Service –
 U.S. Department of the Interior
 Mississippi Development Authority–
 Energy Division
 Montana Energy Education Council
 Narragansett Electric – A National Grid
 Company
 NASA Educator Resource Center–WV
 National Alternative Fuels Training Center–
 West Virginia University
 National Association of State Energy Officials
 National Association of State Universities
 and Land Grant Colleges
 National Hydropower Association
 National Ocean Industries Association
 National Renewable Energy Laboratory
 Nebraska Public Power District
 New Jersey Department of Environmental
 Protection
 New York Power Authority
 New Mexico Oil Corporation
 New Mexico Landman's Association
 North Carolina Department of
 Administration–State Energy Office
 Offshore Energy Center/Ocean Star/ OEC
 Society
 Offshore Technology Conference
 Ohio Energy Project
 Pacific Gas and Electric Company
 PECO
 Petroleum Equipment Suppliers
 Association
 Poudre School District–CO
 Puerto Rico Energy Affairs Administration
 Puget Sound Energy
 Roswell Climate Change Committee
 Roswell Geological Society
 Rhode Island State Energy Office
 Sacramento Municipal Utility District
 Saudi Aramco
 Sentech, Inc.
 Shell
 Snohomish County Public Utility District–WA
 Society of Petroleum Engineers
 David Sorenson
 Southern Company
 Southern LNG
 Southwest Gas
 Spring Branch Independent School
 District–TX
 Tennessee Department of Economic and
 Community Development–Energy Division
 Toyota
 TransOptions, Inc.
 TXU Energy
 United Technologies
 University of Nevada–Las Vegas, NV
 United Illuminating Company
 U.S. Environmental Protection Agency
 U.S. Department of Energy
 U.S. Department of Energy–Hydrogen,
 Fuel Cells and Infrastructure Technologies
 U.S. Department of Energy – Wind for
 Schools
 Virgin Islands Energy Office
 Virginia Department of Mines, Minerals
 and Energy
 Virginia Department of Education
 Virginia General Assembly
 Wake County Public Schools–NC
 Washington and Lee University
 Western Kentucky Science Alliance
 W. Plack Carr Company
 Yates Petroleum